



### INTRODUCTION

COBA has been manufacturing and supplying workplace safety matting for more than forty years. Our diverse product offering, and well-honed product knowledge are just two of the reasons why users select COBA mats again and again.

With our prime locations in Cape Town and Johannesburg, we can efficiently supply customers throughout South Africa, from the North-West of the region to the Western Cape. COBA Africa is also part of and supported by the globally successful COBA Group, headquartered in the United Kingdom. We not only carry a large stockholding but have a team of professionals capable of crafting and finishing floor mats.

Over the years our success has been in part due to our passion for the products and a commitment to delivering the best levels of service. There is more to matting than you might think, and our trained people are on hand to guide you through the sometimesconfusing decision-making process. Read more about our new 'Right Mat, First Time' campaign below.

2019 marked 40 years since COBA launched its first 'safety matting' product in the UK. Little did we know that our forty-first year (2020) would be one of the most challenging to date.

The Covid pandemic tested our operations to their limit, but we were able to navigate the storm and even responded directly with our innovative Social Distancing Mats, a development even featured on BBC UK national news.

Our brand-new **Product Catalogue** for 2022/23, acts as a reference for industry, to discover all of our floor level safety products in one place. It features COBA's entire product offering from the well-established **Workplace Safety Matting** range to our more specialist solutions such as **ESD Mats and Accessories** and the new **Floor Trims** and **Office Furniture Accessories**.

If you still need support or guidance then please contact your local branch, chat with one of our matting experts online, or arrange a physical or virtual site visit so that we can see your working environment and suggest the best solution. A properly specified matting solution from COBA can provide significant return on investment through employee wellbeing, reduced absenteeism, and increased productivity.



There is a suitable tool for every task. If you don't have the right tool, it can affect the quality of your work and incur additional costs for your business. Anti-fatigue mats are a great way to protect employees and increase productivity and reduce absenteeism but it's important to invest in the best one for the job.

COBA offers hundreds of options, but there are also thousands of different workplaces. Therefore, it is important to understand the requirements of a workplace and to ask the right questions. This is the only way to choose the right antifatigue mat and avoid a potentially wasted investment.

'Right Mat, First Time' is our commitment to supporting effective product selection in workplaces of all kinds. Our team of matting experts has first-hand experience in solving real-world problems in industry. By supporting a variety of companies in different sectors over the years, we have not only found a solution to a wide variety of problems, but also identified an ever-growing range of applications for our products.

Find out more on page 15

# WHAT WE DO DIFFERENTLY

**WORKPLACE SAFETY MATTING** 

**ELECTRICAL SAFETY MATTING** 

**ESD MATS & ACCESSORIES** 

FLOOR TRIMS

**OFFICE FURNITURE** 

**ACCESSORIES** 

**ENTRANCE MATTING SYSTEMS** 

FLOOR LEVEL SAFETY ACCESSORIES

**FLOOR COVERINGS** 

**ENTRANCE MATS** 

**MATS FOR LEISURE** 

**RUBBER SHEETING** 

**MOVING EDGE SAFETY KNIVES** 

NEW

NEW























# ONTENTS

Online Resources / MatBrain™	04
Where we are based – Location map	05
Product Tests Explained / Glossary of Terms	06
Material Guide / Icon Key	07
Matting and the Environment	08
New Products	09
Company History	10
Our comprehensive range of safety matting. Includes specialist anti-fatigue mats like Orthomat <sup>®</sup> , designed to reduce discomfort, and our slip-resistant products that lower the risks presented by water, oil, or swarf.	11-44
Matting designed to prevent electric shock in front of switchboards and other high voltage equipment.	45-48
A range of electrostatic dissipative floor mats and bench mats, as well as suitable accessories for operatives.	49-56
Slips and trips are the largest cause of workplace injury. Reduce the risk at floor level using this range of non-slip surfaces, physical barriers, and visual aids.	57-64
A range of designer floor transitions and practical flooring edges and finishers.	65-70
Floor covering tiles in rubber and vinyl with both interlocking and non-interlocking options, plus flooring adhesive and knee protection.	71-74
Reduce standing fatigue in the office, protect floor surfaces from wheeled desk chairs, and reduce transmission of airborne viruses with this updated collection of products.	75-80
A range of effective matting systems for busy entrance areas, such as in retail, schools, hospitals, and transport terminals.	81-96
Reduce walked in dirt and moisture with this range of 'loose lay' internal and external entrance doormats for commercial use.	97-120
Anti-slip and noise reduction mats for the leisure industry. Ideal for leisure centres, gyms, outdoor play areas, and more.	121-126
A comprehensive range of multi-purpose rubber sheet materials in various thicknesses and specifications.	127-132
The British safety knife brand with a reputation for high quality products and great	133

134-135



## **ONLINE RESOURCES**

### YouTube Videos

Discover and understand our products like never before by watching original video content on our channel.

- > Be the first to discover new products
- See our products in use and under installation to fully grasp their benefits
- > Get to know the company behind the logo

Search 'COBA Africa YouTube'

### PIM - Product Information Management

Access all our product information and media securely and reliably in one place.

- Import our latest product data to your web properties using XML or XLSX
- Download high resolution images, video, as well as test certificates and installation guidelines

Ask your account manager for more information

### Social Media

### in COBA Africa GOBAAfrica




### Website

Chat to our matting experts or use **MatBrain**<sup>™</sup> to find the **Right Mat, First Time**<sup>™</sup>. Also:

- > Read buying guides
- Order samples
- > Request quotations

Start following us today and become your own matting expert

Visit cobaafrica.com to explore



MatBrain™ is our easy-to-use online decision-making tool that helps make anyone a matting expert in seconds.

Selecting a matting solution just on price alone is unlikely to provide a good return on investment. Mats placed into the wrong environment may wear out sooner than intended, or worse, might introduce a hazard that wasn't previously present.

COBA Africa has decades of experience working with people in many industries and understands the various risk factors involved. We empower our people with this knowledge so that they can support our customers in to making sound investment in floor matting.

SEARCH FOR 'COBA AFRICA MATBRAIN' TO ACCESS THE INTERACTIVE TOOL DIRECTLY ON OUR WEBSITE AND LET IT NARROW YOUR SEARCH IN SECONDS. ALTERNATIVELY, CONTACT ONE OF OUR HELPFUL TEAM, WHO WILL GUIDE YOU TO FINDING THE RIGHT MAT, FIRST TIME.

# **GLOBAL REACH, LOCAL SERVICE**



### **LOCALISED SUPPLY & SUPPORT**

Through our local offices we support a vast network of trusted distributors putting COBA products to work across the globe.

### **Distribution Centre**

- Johannesburg
  South Africa
- Kleinenbroich Germany
- Rugby United Kingdom
- Terchova Slovakia

# Cape Town South Africa

Paris France

### Sales Office

- Barcelona **Spain**
- KrakowPoland
- Bucharest **Romania**
- Tezze di Piave Italy



## PRODUCT TESTS & STANDARDS EXPLAINED

In partnership with the internationally recognised SATRA, we test our products to the latest standards in slip and fire safety, and ESD ratings.



### **FIRE RESISTANCE**

### BS EN 13501-1

Reaction to fire classification.
The classification is split into three parts:

The main part of the classification is its letter – A1, A2, B, C, D, E and F. A1 (Non-combustible) is the highest level of performance.

There is a smoke classification of s1, s2 or s3. s1 is the highest level of performance.

There is a classification of flaming droplets of d0, d1 or d2. d0 is the highest level of performance.

### **FLOOR COVERINGS**

### **BS EN 14041**

This standard relates to internal floor coverings that meet certain fire, slip-resistance, or electrical behaviour.



### **ELECTRICAL SAFETY MATTING**

### **BS EN 61111**

Electrical safe matting that conforms to this standard is available in different classes (0-4) and consists of a fine, fluted pattern on one side and a cloth impression on the reverse. Find out more about the testing process on page 54

### BS 921

This standard was made obsolete in 2013 and is superseded by BS EN 61111.

### **DIN EN 6134**

This standard sets out how electrical installations should be tested initially and at intervals and includes the requirement to check the resistance of the flooring system. The standard describes the test method for flooring which is performed using a tripod electrode according to EN 1081.



### SLIP RESISTANCE

### PENDULUM SLIP TEST: BS 7976-2:2002+A1:2013

Internationally recognised British standard that uses a pendulum device to measure a surface material's slip potential.

Slip Potential	PTV
High slip potential	0 – 24
Moderate slip potential	25 – 35
Low slip potential	36+

### RAMP SLIP TEST: DIN 51130:2014

Internationally recognised German standard that measures slip potential by the angle at which the surface material loses friction.

R Value	Category Static Friction is	Angle of Inclination
R9	Low	6° to 10°
R10	Normal	>10° to 19°
R11	Above Average	>19° to 27°
R12	High	>27° to 35°
R13	Very High	>35°

### RAMP SLIP TEST: DIN 51097

Internationally recognised German standard that for testing surface materials in wet, soapy conditions such as those found in leisure industry

Classification	Α	В	С
Slip Angle	12°-17°	18°-23°	>24°
CoF	0.21-0.31	0.32-0.42	>0.45



### ESD

### IEC 61340-5-1


Protection of electronic devices from electrostatic phenomena - General requirements

## **GLOSSARY OF TERMS**

Anti-Fatigue – Provides comfort and relief from standing	#SUFH - Stand up for Health
Slip-Resistant – Has a surface that resists slipping and has been tested to industry standards	Loose lay – Mats that are not fixed to the floor
GRP - Glass reinforced plastic	Matwell - A recessed well area into which entrance matting is laid
ESD - Electrostatic discharge	Open or Solid Surface Construction – Whether or not the mat surface is designed to let dirt pass through
Anti-Static – The dampening or inhibition of static electricity to prevent build-up	REACH – Registration, Evaluation, Authorisation and Restriction of Chemicals

### **MATERIAL GUIDE**

CR	EPDM	GRP	LDPE	NATURAL RUBBER
Chloroprene Rubber	Ethylene propylene diene monomer rubber	Glass reinforced plastic	Low-density polyethylene	Sourced from the latex of the rubber tree
NBR	PA	PC	PE	PET
Nitrile butadiene rubber	Polyamide	Polycarbonate	Polyethylene	Polyethylene terephthalate
PP	PU	PVC	SBR	VINYL
Polypropylene	Polyurethane	Polyvinyl chloride	Styrene butadiene rubber	Generic term for vinyl polymers





# MATTING AND THE ENVIRONMENT

It seems like a cliché to state that the environment has never been such a hot topic, but it is true. And as a brand, COBA Europe aspires to continually improve its products and processes to reduce its impact on the planet.

Like many products in our lives, floor mats rely on modern materials to give them certain beneficial characteristics. This means that we are on a journey with our customers, towards a point where the risks of slips or fatigue in workplace can be eliminated in a way that causes the least harm to the environment.

### **OUR VIEW ON PLASTIC**

Plastic is an important material in many of our products and will be so for some time. It can offer strength and durability but is also lightweight. Plastic is in the spotlight currently, and we are conscious of this fact. Over the coming years we aim to increase the use of recycled material, and find alternatives where possible.

### **OUR VIEW ON RUBBER**

Rubber is a naturally sourced material and therefore renewable. It has many beneficial characteristics from flexibility to durability and is highly suited to use in floor mats that need to be both comfortable and hardwearing.




### **CRADLE TO GRAVE**

When it comes to replacing your anti-fatigue mat you might be faced with the dilemma of what to do with the old one. Wherever possible we would recommend that mats are taken to a qualified material processing company who can maximise the recycling of the constituent materials.

### RESEARCH AND DEVELOPMENT

COBA is continually reassessing its products and processes to find ways of reducing the environmental impact, and we're excited about what the future holds.



### **NEW PRODUCTS**

## **FLOOR TRIMS**

The COBA Africa team is thrilled to introduce the Designer Home Collection range by Carpet Accessory Trims (C.A.T.) from the UK to the African market. Flooring trims can sometimes be overlooked in the design process yet they have an powerful impact on the interior overall.

Find out more on page 65.



# **COBAGRIP® NOSING**

We have added two new colourways to our range of GRP nonslip nosing: black and a black/yellow hazard design, ideal for industry.

Find out more on page 63.



# **ALBA ANTI-FATIGUE**

Meet our first ever carpeted anti-fatigue mat for offices and the home.

Find out more on page 77.



This product features in our brand-new Office Furniture Accessories category on page 75 – 80

# **PREMIER FASTTRACK**

A box packaged version of our popular Premier interlocking entrance matting tiles aimed at the flooring industry.

Find out more on page 87.



### **OUR HISTORY**



Plastic extrusions from the original COBA Plastics division were woven to create COBA's first safety matting product, COBAmat® (then called Airomat) introduced as an alternative to wooden duck-boarding. COBA was one of the first brands in the UK to offer such a concept as 'safety matting'. It soon became a familiar sight in factories, oil rigs, boats, aircraft, hotels, and leisure centres.

# ORTHOMAT® IS LAUNCHED ->



The first of a long line of new foam mats that offer a more instantaneous relief from cold hard floors.

FIRST GERMAN WAREHOUSE 🖖



In 2002, COBA opened its first German warehouse and sales office for the matting division, to efficiently service the requirements of mainland European customers.

### 2007



Following the acquisition of land at COBA HQ in Fleckney, work commenced on a £2 million construction project to create offices and a warehouse facility for COBA Europe Ltd.

MOVING EDGE ACQUIRED ->



COBA acquired the Moving Edge Safety Knife brand, to complement COBA Europe's own product range in the Health and Safety market.

**GERMAN BUSINESS MOVES INTO** LARGER PREMISES  $\checkmark$ 



COBA Europe GmbH relocate to a new facility just a few minutes down the road but increases its storage capacity three times.

A CHALLENGING YEAR 🔷



The Covid pandemic presented the business and its people with many challenges, but in response we launched a range of social distancing floor mats that were even featured on BBC UK news.

# PIM -




Last year we also launched a PIM (Product Information Management) system, providing distributors with easy access to the latest product information and multimedia.

<mark>2021 CONTINUED</mark> UK BUSINESS MOVES INTO LARGER PREMISES



COBA Europe Ltd makes one of the most significant moves yet, relocating away from COBA HQ in Fleckney, Leicestershire to Europark in Rugby, Warwickshire, with about 4100m<sup>2</sup> of storage space.



# WORKPLACE SAFETY MATTING

Improving comfort and safety, reducing the risk of accident and injury

For decades, COBA has been a market leader in workplace safety matting, and today we offer one of the most comprehensive ranges for any working environment, whether that's industrial, catering or retail. Whether the main objective is to reduce the risk of slips or to provide fatigue relief from standing, we have a solution to suit a wide variety of budgets and environments.

## THE RISKS OF PROLONGED STANDING

Prolonged standing can lead to fatigue, pain and serious health issues, such as MSDs.

### What are MSDs?

Musculoskeletal Disorders are injuries or conditions affecting the movement of the human body, or the loco-motor apparatus. They are problems that affect the muscles, tendons, ligaments, vascular system, nerves, soft tissues, bones and joints.




Average time lost due to each MSD case

Working days lost due to MSD\*\*

Over

of European workers complain of standing in tiring positions at work.

Anti-Fatigue Matting · Scientifically proven to reduce discomfort and fatigue.



Found anti-fatigue matting had Found anti-fatigue matting had helped to reduce pain or serious health complaints of staff \*\*\* health complaints of staff.\*\*\*


Considered anti-fatigue matting to have a positive effect on increasing productivity in their company.\*\*



\*SOURCE: 5TH EUROPEAN SURVEY ON WORKING CONDITIONS

\*\*SOURCE: HSE MSD STATISTICS GREAT BRITAIN 2017/18

\*\*\*SOURCE: COBA SURVEY DATA 2018



### **SCIENTIFIC STUDIES**

### 2001 - LOUGHBOROUGH UNIVERSITY #1 - LAND ROVER STUDY

A study commissioned by COBA and conducted by Professor Mark Porter and Dr Samantha Porter from the Design Ergonomics Group at Loughborough University compared standing on concrete to standing on anti-fatigue floor matting at Land Rover.

→ Reports of 'considerable discomfort' were 5.2 times greater when matting was not used.

Significant statistical differences between the **c**onditions were identified in the feet, calves, and lower back. The provision of matting was found to reduce either the number of reports or the severity of discomfort in the feet and calves during the day.

### 2007 - LOUGHBOROUGH UNIVERSITY #2

A scientific study commissioned by COBA and conducted by Loughborough University, compared standing on a concrete floor to standing on anti-fatigue matting. The evaluation involving 14 participants compared thermal comfort and fatigue using both objective and subjective measures.

The subjective results showed statistically significant benefits to users of anti-fatigue matting when compared to standing on a concrete floor, especially to the lower and upper legs and lower back areas.

### 2022 - TECHNICAL UNIVERSITY OF DARMSTADT

We are proud to launch a new project in cooperation with the Research Group Work assessment & Workplace Design, Technical University of Darmstadt, Institute of Ergonomics & Human Factors, and an industrial partner to have a closer look and provide scientific data on the benefits provided by anti-fatigue matting.

This study will be the first conducted in a real working environment, with a statistically relevant number of participants in Germany, to find out about the effect ergonomic workplace matting has on the workforce.

### **MARKET RESEARCH**

### 2015 - INDUSTRY SURVEY

In 2015 COBA commissioned a telephone survey of employers to discover statistics about the real-world use and impact of safety matting.

- → 75% of respondents found that anti-fatigue matting had made a positive effect to the wellbeing of staff.
- → 54% found anti-fatigue matting had made a positive impact on reducing pain or health complaints amongst employees.
- → 23% of respondents confirmed that absenteeism had been reduced because of using anti-fatigue matting.








### **WANT TO KNOW MORE?**

→ We have a range of content available to read and download via cobaeurope.com that will give you more detailed information about the research.



## **BESPOKE MATS AND INSTALLATION**

COBA's off the shelf mats and systems will suit many working environments and applications but we also regularly work with clients to plan and manufacture matting that is designed around them and the unique way they work.









Whether your production line is U-shaped... or even Z-shaped, or you simply have a large area to cover that features several obstacles, one of our trained matting experts will work with you to create a bespoke solution that brings the benefits of anti-fatigue or anti-slip matting to even the most unique workspaces.

We can visit you for an onsite assessment or even meet virtually using video conferencing to discuss the challenges you are facing and provide you with several potential solutions to consider.

'Right Mat, First Time' is our new motto, and we will always sell on specification rather than cost.

One of our trained drafts people will then get to work on a scale drawing of your workplace with our proposed custom mat solution. This design can be adjusted with ease ahead of production to ensure that the finished product will meet your expectations.

If you are in the UK, you can also benefit from our dedicated team of installers who can assist with getting the mat into place.

♀ CHAT TO US	SPEAK TO US	⊠ WRITE TO US
cobaafrica.com	011 452 7961	sales@cobaafrica.com



# CHOOSE THE RIGHT ERGONOMIC WORKPLACE MAT AND SAVE EVEN MORE IN THE LONG RUN!

There is a suitable tool for every task. If you don't have the right tool, it can affect the quality of your work and incur additional costs for your business. Whether in retail, distribution or production, many people stand for a long time, which can have a negative impact on their well-being and overall health. Anti-fatigue mats are a great way to protect employees and increase productivity and reduce absenteeism. Absenteeism and other consequences of fatigue cost companies billions every year, so we need to change something.

The good news is that COBA offers hundreds of options for antifatigue mats, but there are also thousands of different workplaces, each with their own specific requirements.

Therefore, it is important to understand the requirements of a workplace and to ask the right questions. This is the only way to choose the right anti-fatigue mat and avoid a potentially wasted investment in a new workplace mat.

### PROTECTING THE HEALTH AND WELL-BEING OF EMPLOYEES

Business owners, health and safety officers and production managers are all responsible for the health and safety of employees in the workplace. However, without a solid understanding of the interactions between liquids, lubricants and chemicals used and different materials, the effects of employee movements on mat wear or other important conditions, choosing the most suitable workplace mat becomes a roulette game.

You leave the well-being of your employees and the associated investment of your company to chance.

### **COBA EUROPE HELPS YOU**

'Right mat, first time' is our new campaign, which aims to support effective product selection in workplaces of all kinds. Choosing the most suitable anti-fatigue mat for your work environment means that your employees can better perceive the benefits of the product and the company can realise the return on investment.

### MATTING KNOW-HOW

Our team of mat experts has first-hand experience in solving real-world problems in the industry. By supporting a variety of companies in different industries over the years, we have not only found a solution to a wide variety of problems, but also identified an ever-growing range of applications for our products.


Added to this experience is the comprehensive training that COBA Europe provides to its employees to ensure that customers receive



the best possible advice. 'Right mat, first time' is our commitment to always offer the most suitable product for your workplace, based on the facts at hand, not the most expensive.

### A MAT EXPERT IN YOUR POCKET

Our years of experience have also been incorporated into our mobile app, **Mats in Mind**. Available for free on both the App Store and Google Play, it takes much of the hard work out of the decision-making process for you. By answering a number of simple but pertinent questions, in most cases, we can narrow down the options to the extent that a choice can be made based on aesthetics or budget.



# **WORKPLACE SAFETY MATTING SELECTOR**

		conf	ORT RECORD TO	RATHE IT.S.	A SUPA	different the	ALE CONTROL FREE FOR	A SEED
								PAGE
	COBADOT	1	3	3				41
	COBARIB	1	3	4				40
₹	ORTHOMAT® STANDARD	4	3	2			~	17
	BUBBLEMAT	3	4	2				20
S P	BUBBLEMAT SAFETY	3	4	2				21
용	ORTHOMAT® PREMIUM	4	4	2				18
MATTING FOR DRY ENVIRONMENTS	DIAMOND TREAD	4	5	3			~	19
EN	FLUTED ANTI-FATIGUE	4	5	3				25
RON	MARBLE ANTI-FATIGUE	4	5	2				26
Ĭ	SENSO DIAL	4	5	3				25
SIN	DECKPLATE / DECKPLATE CONNECT	5	5	3			~	23,24
	COBAELITE® BUBBLE	5	5	4			~	24
	COBAELITE® DIAMOND	5	5	3				24
	COBASCRAPE	1	3	5	~	~		31
	DECKSTEP	2	4	4	~	~		35
3	UNIMAT	2	4	4	~			34
Ē	COBAMAT® STANDARD	2	5	4	~	~	~	36
NG.	COBAMAT® WORKSTATION	2	5	4	~	~	~	45
另	COMFORT-LOK	3	4	3	~	~		26
WET	RAMPMAT	3	4	4	~			26
¥	HIGH-DUTY	3	4	4	~	~		31
무	K-MAT	3	4	4	<b>~</b>	<b>~</b>		30
7	WORKSAFE	3	4	4	<b>✓</b>			32
VE.	FATIGUE-STEP	4	5	4	~	~		23
QN N	SITEPATH	2	3	4	~			43
MATTING FOR WET AND DRY ENVIRONMENTS	HYGIMAT	5	5	4	~	~		28
S	COBADELUXE	4	5	4	~			33
	MK3 TOUGH DECK	2	4	4	~			38
	FATIGUE LOCK	4	4	5	<b>~</b>	✓		35

**KEY** 

COMFORT FACTOR (1 -5)





WEAR RATING (1-5)








SLIP RATING (1-5)







### Quickly tackle standing fatigue in dry workplaces

• Versatile single layer foam anti-fatigue mat. • Insulates standing workers against the effects of cold concrete floors. • Lightweight, so easy to transport and reposition. • Best suited to dry environments. • High visibility version available with bright yellow borders. • Ideal for lighter industrial use. • Textured surface provides attractive appearance. • Available in mats and rolls. • Fire tested to BS EN 13501-1. • Product height: 9.5 mm


SIZE	BLACK	BLACK/YELLOW
0.6 m x 0.9 m	AF010001	AF010701
0.9 m x 1.5 m	AF010002	AF010702
0.9 m x 18.3 m	AF010003	AF010703
0.9 m x 0.45 m	AF010004	-
0.9 m x per linear metre	AF010003C	AF010703C













## **ORTHOMAT® PREMIUM**

### Reduces standing fatigue for those that move at work

• Exceptional fatigue-relief properties – a real investment for the workplace. • Dual layer construction for superior comfort and durability. • Tough textured top surface for excellent resilience against wear and tear. • Insulates against the effects of cold concrete floors. • Low density under layer provides extremely effective underfoot cushioning. • Ideal for demanding locations, especially where regular turning is involved. • Tapered edges to reduce trip hazards. • Range of colours available. • Fire tested to BS EN 13501-1. • Product Height: 12.5 mm

SIZE	BLACK	GREEN
0.6 m x 0.9 m	FF010001	-
0.9 m x 1.5 m	FF010002	-
0.9 m x 18.3 m	FF010003	FF040003
0.9 m x per linear metre	FF010003C	FF040003C
1.2 m x 18.3 m	FF010006	-
1.2 m x per linear metre	FF010006C	-















## **DIAMOND TREAD**

### Fatigue relief for welding professionals

- Welders need relief from standing like any other professional.
- The heavy-duty top surface is both resilient and fire tested, whilst the soft foam underlayer provides cushioning for the feet.
- Ideal for welding bays and demanding industrial use. Flame retardant top surface (tested to BS EN 13501-1) so weld sparks aren't an issue. Loose lay can be moved easily. Bevelled edges help avoid creating a trip risk. Product height: 15 mm


SIZE	BLACK
0.6 m x 0.9 m	DTB010001
0.9 m x 1.5 m	DTB010002



Material
Vinyl top surface with PVC foam backing (fusion bonded, not glued)











### **BUBBLEMAT**

### Smart anti-fatigue mat with a distinctive bubbled surface

- Raised bubble patterned surface stimulates feet and legs to aid circulation. Underfoot cushioning also makes prolonged occupational standing more comfortable. A choice of materials depending on the demands of the environment (dry use only).
- Complete mats suitable for workstations and interlocking sections available for longer production lines.
- Product height: 14 mm

SIZE	PART DESCRIPTION	BLACK
0.6 m x 0.9 m	(edged all round)	BF010001
0.9 m x 1.2 m	(edged all round)	BF010002


















## **BUBBLEMAT SAFETY**

### Smart anti-fatigue mat with a distinctive bubbled surface

• Highly effective anti-fatigue mat. • Edges in yellow signal colour for increased work safety. • The bubbles of this workplace mat encourage more movement and stimulate the circulation, reliably preventing signs of fatigue. • Increases safety at the workplace as an anti-slip mat. • Ideal for standing workplaces in industry and manufacturing. • Available as individual mats or interlocking modules. • Product height: 14 mm

SIZE	PART DESCRIPTION	SAFETY
0.6 m x 0.9 m	(edged all round)	BF010701
0.9 m x 1.2 m	(edged all round)	BF010702



Material Natural rubber

Resistance to Environment Suitable for predominantly

dry environments









**HEADACHES** by easing tension in your shoulders and neck.

**STIFFNESS** by encouraging regular muscle movement and posture changes.

LOWER BACK PAIN by reducing pressure on the spine, and strain on the back muscles.

**POOR CIRCULATION** by frequent lower muscle movement.

LOWERS THE CHANCE OF SLIPS when the mat has a slip resistant surface.

ARCH AND HEEL PAIN often caused by flattening of the feet.

**COLD CONCRETE FLOORS** which can give the sensation of being colder.



### **FATIGUE-STEP**


### Fatigue relief for large, wet and oily shop floors

- Tiles link together to provide an anti-fatigue surface for particularly wet or oily areas. Soft, yet resilient rubber floor tiles.
- Open holes allow efficient drainage of spilt liquids. Effective anti-fatigue properties for prolonged standing. Main tiles available in two options: Standard or Nitrile Nitrile option has excellent resistance to oils, chemicals and grease. Slip tested to DIN 51130. Optional ramped edging in yellow or black.
- Product height: 14 mm, 19 mm

SIZE	BLA	CK 18 MM	BLACK 14MM
0.9 m x 0.9 m	SS0	10001	SS010006
EDGING	PART DESCRIPTION	BLACK	YELLOW
Fatigue-Step Edges	Female Corner Edge	SS010002F	SS070002F
Fatigue-Step Edges	Male Corner Edge	SS010002M	SS070002M











# **COBAELITE® BUBBLE**


### **Excellent fatigue relief with superior resilience**

- Improve comfort when standing in the workplace. Raised surface stimulates blood circulation and foot movement.
- Superior material ensures durability. Ramped edges help avoid creating a trip risk. Loose lay can easily be installed in a wide array of workplaces. Fire tested to BS EN 13501-1.
- Product height: 15 mm

SIZE	BLACK
0.6 m x 0.9 m	SE010001
0.9 m x 1.2 m	SE010003









to chemicals and oils




## **COBAELITE® DIAMOND**

### **Durable anti-fatigue mat with diamond pattern**

- Improve comfort when standing in the workplace. Premium quality 'diamond' surface anti-fatigue mat. Superior material ensures durability. Ramped edges help avoid creating a trip risk. Supplied with high visibility yellow borders as standard.
- Loose lay can easily be installed in a wide array of workplaces.
- Supplied as individual workstation mats. Fire tested to BS EN 13501-1. Product height: 18 mm

SIZE	BLACK/YELLOW
0.6 m x 0.9 m	SED010701
0.9 m x 1.2 m	SED010702















### **FATIGUE LOCK**

### Premium mid-size interlocking anti-fatigue tile


• This extra thick tile provides comfort and fatigue relief for standing workers. • Precision designed tiles seamlessly clip together for smooth raised floor surface. • Convenient tile size allows for easy planning. • Can be used to cover large or unusually shaped workstations. • Made from rubber for durability, slip, and impact resistance. • Tile option with holes is ideal for wet workplaces in need of drainage. • Solid and holed version can be used together in one installation. • Ramped edges prevent trips and are available in black or yellow. • Easily cleaned with a jet washer or hose. • Slip tested to DIN 51130.




SIZE	PART DESCRIP	PTION	BLACK
0.5 m x 0.5 m	(With holes)		FL010001
0.5 m x 0.5 m	(Solid surface)		FLS010001
EDGING		BLACK	YELLOW
Corner Edge		FLC010003	FLC070003
Female Edge		FLE010002F	FLE070002F
Male Edge		FLE010002M	FLE070002M











Material Rubber, including 25% NBR









### **COMFORT-LOK**

# Fatigue relief for standing workers on production lines or benches

• Heavy-duty rubber mats provide a comfortable standing surface for operatives. • Available as interlocking modules for long runs, or as a single workstation mat. • Resistant to oil and grease making it ideal for food production areas or in any catering business. • Diamond patterned surface provides underfoot grip. • Hardwearing rubber ensures a long life in normal use. • Suitable for high temperature environments. • Slip tested to DIN 51130. • Product height: 12 mm

SIZE	PART DESCRIPTION	BLACK
0.7 m x 0.8 m	(interlocking end piece)	CL010001
0.7 m x 0.8 m	(interlocking middle piece)	CL010002
0.7 m x 0.8 m	(edged all round)	CL010004












### **RAMPMAT**

# Banish cold hard concrete floors with our entry level rubber anti-fatigue mat

- Provide standing relief to all workers with this economical anti-fatigue mat. Raised circular surface provides effective slip resistance. Open drainage holes capture spilt liquids, swarf or other debris to help prevent slips. Moulded ramped edges to reduce the risk of trips and allow wheeled access. Made from hardwearing rubber for durability. Slip tested to DIN 51130.
- Product height: 14 mm

SIZE	BLACK
0.8 m x 1.2 m	RMR010001
0.9 m x 1.5 m	RP010001










It is also a popular entrance mat, suitable for most climates.

**PAGE 124** 



## **MK1 RUBBER TILE**


### **Recycled Rubber & Plastic Interlocking Floor Tiles**


• Made from recycled rubber thermoplastic compound. • Highly durable – industrial quality. • Uses include: Workshop, garages, storerooms and factories. • No adhesive required. • Please note: This product may discolour and warp if laid in areas exposed to direct sunlight. • Product height: 8 mm

SIZE	PART DESCRIPTION	BLACK
465 mm x 465 mm	4 tiles per pack	RUBMK14
465 mm x 30 mm	Edging	RUBMK1R8











### **HYGIMAT**

### A revolutionary hygienic anti-fatigue mat

- Improve feeling of comfort and energy whilst standing at work. Ideal for any workplace where hygiene is important e.g. healthcare, food manufacturing, catering, hospitality, clean rooms or food retail. Made from a revolutionary 'gel foam' material that combines the best in durability and comfort.
- Material also has anti-microbial properties Closed cell construction means that no liquids can penetrate the mat and reduce performance. Version with holes is ideal for wet workplaces in need of drainage. Oil resistant. Easily cleaned can be cleaned with detergent or can be steam sterilised. Fire tested to BS EN 13501-1 and slip tested to DIN 51130.
- Product height: 17 mm ±1 mm

SIZE	(WITH HOLES)	(SOLID SURFACE)
0.6 m x 0.9 m	HYG010001	HYS010001
0.9 m x 1.5 m	HYG010002	HYS010002
0.9 m x 1.8 m	HYG010003	HYS010003










Version with holes is ideal for wet workplaces in need of drainage.



## THE RISKS OF SLIPS IN THE WORKPLACE



168,490

non-fatal Slips, Trips and Fall accidents in UK 2018/19\*

1.36 million

Estimated working days lost due to Slips, Trips and Fall injuries in 2018/19\*





\*2018/19 Labour Force Survey






## K-MAT

### Reduce fatigue and slips in oil prone areas

• A nitrile rubber mat for swarf prone areas. • Contains nitrile to offer the best resistance to oils and chemicals. • Ideal for food processing and manufacturing locations due to its excellent resistance to grease, fats and detergents. • Easily cleaned in a commercial washing machine. • Raised pattern surface for exceptional slip-resistance (tested to DIN 51130). • Open holes efficiently drain liquids and capture debris. • Hygienic anti-microbial properties make it suitable for food processing locations. • Product height: 9 mm

SIZE	BLACK
0.85 m x 1.45 m	KM010001
0.85 m x 2.9m	KM010002











### A durable anti-slip mat ideal for areas prone to oil or chemical spillage

• A solid surface mat designed to reduce slips in oily or greasy conditions. • Raised surface pattern provides extra underfoot grip. • Recessed pattern creates drainage channels to capture liquids. • Makes standing more comfortable in a wide range of workplace environments. . Resilient to degradation in oily, greasy and chemical prone areas for a longer lifespan. • Single mat design makes it a quick and simple solution to reducing slip accidents. • Bevelled edges as standard to reduce trip hazards. • Slip tested to DIN 51130. • Product height: 6 mm

SIZE	BLACK
0.85 m x 1.5 m	CS010002
1.15 m x 1.75 m	CS010004









# Material NBR

Resistance to Chemicals
Resistant to many chemicals, alkalis, detergents, oils, machine coolants and general industrial coolants. Rubber may swell in polar solvents.






## **WORKSAFE**

### If greasy floors are a problem, this is your ideal anti-slip mat!

- Improves comfort during prolonged standing. Hardwearing making it suitable for many industrial environments - a choice of two materials. • Blue oil-resistant option is ideal for greasy, oily workstations where slips pose a threat. • Open holes capture spilt liquids and swarf. • Effectively reduces slip hazards where spillage is prevalent. • A complete mat that can be used as immediate safety solution. • Bevelled edging all round for trip protection.
- Slip tested to DIN 51130. Product height: 12 mm

SIZE	BLACK	BLUE
0.9 m x 1.5 m	SW010001	SW020001

















Welding bays, Machine tool areas where swarf is prevalent

Rubber mix, including >50% recycled material.

Resistance to Chemicals
Natural rubber is resistant to water and most mild acids

Worksafe blue is ideal for the food industry.

Dirt, spores, mould, food and detergent residues are more clearly visible on blue mats.

## **WATERCOOLER SPLASHMAT**

Absorb water splashes by water coolers

- Avoid water splashes at water coolers with this absorbent mat
- Absorb up to 5 I/m2 of moisture Water absorption will avoid slip hazards at the office • Spilt water form your water cooler, that is stepped, in can cause dirty tracks on internal flooring. Using an absorbent mat can protect internal flooring and keep your office area clean • Manufacturing time: 3 days• Product height: 9.2mm

ANTHRACITE SIZE **GREY** 910 mm x 610 mm WCS010001 WCS010002

















Catering environments

Natural rubber

Resistance to Environment Suitable for indoor and


outdoor environments

## **COBADELUXE**

### Fatigue relief for heavy-duty workstations

- Creates a safe and very comfortable standing surface. Its thickness makes it a durable mat that can withstand impact.
- Quickly cover large areas if used as a connecting system.
- Made from hardwearing rubber providing longevity. Excellent slip resistance in wet areas. • Open drainage holes for spilt liquids make it ideal for wet workplaces. • Available as a single mat or can be linked together with connectors for larger areas. • Use of optional edges is recommended to reduce the risk of trips. • Slip tested to DIN 51130. • Product height: 18.5 mm

SIZE	BLACK
1 m x 1.5 m	DM010002
Connector	DM010003










### **UNIMAT**

### Heavy-duty anti-fatigue matting for wet areas

- Versatile rubber runner. Open holes provide excellent drainage. A real asset in helping to prevent slipping in wet areas. Easy to roll up and move to new locations or for cleaning.
- Slip tested to DIN 51130. Product height: 10 mm

SIZE	BLACK
0.9 x 10m	UM010002
0.9m x Linear meter	UM010002C







Material
Rubber mix, including >50% recycled material.

Resistance to Chemicals Resistant to water and most mild acids





**Prevent strain from kneeling** 

Adaptable pad for all uncomfortable kneeling jobs.
Reduces knee pain and lower back stress caused by regular kneeling.
Lightweight to carry – only 0.35 kg per pad – with carrier handle.
Good resistance to oils and chemicals.
Product

height: 25mm

 SIZE
 BLACK

 530 mm x 360 mm
 KS010004



Typical Applications
General industrial, Contract flooring

Material NBR Foam

















General industrial, Production lines, Assembly areas, Packing stations, Workbenches. Swimming pools, Changing rooms, Showers, Gyms.

Material PVC

Resistance to Chemicals
Resistant to acid and alkali




### Multi-purpose ribbed vinyl matting for industry

- Raise workers off the ground like traditional duckboard.
- Reduce the risk of slips by removing feet from direct contact with spilt liquids. • Provides a much more comfortable standing surface than concrete. • Textured surface provides slip resistance. • Flexible and lightweight - easy to move and clean.
- Strips are welded together for strength. Slip tested to DIN 51130. • Product height: 11.5 mm ±0.5 mm















SIZE	BLACK	BLUE	GREY	RED
0.59 m x 10 m	DS010610	DS020610	DS060610	DS030610
0.59 m x per linear metre	DS010610C	DS020610C	DS060610C	DS030610C
1.2 m x 10 m	DS011210	DS021210	DS061210	DS031210
1.2 m x per linear metre	DS011210C	DS021210C	DS061210C	DS031210C



### **COBAMAT® STANDARD**

### Standing the test of time, our original safety matting

• The original premium multi-purpose safety mat widely used across industry today. • An ideal choice for longer production lines, or for covering mezzanine floors. • Available in four vibrant colours and four weave (hole) sizes to suit the application. • Vinyl strips are interwoven, rather than welded, for better flexibility and lower risk of breaking. • Cross-ribbed grip to reduce slipping. • Fully reversible for added longevity. • Suitable for use in wet and dry environments, or where swarf and debris cause problems. • Fire tested to BS EN 13501-1 and slip tested to DIN 51130. • The largest hole size available in COBAmat, this matting is ideally suited to trapping swarf and larger debris particles. • Commonly used in areas such as machine shops with lathes, assembly/finishing areas where offcuts and debris may be present. • 22 mm x 22 mm hole size. · Product height: 12 mm

SIZE	BLACK	BLUE
0.6 m x 5 m	CS010610W	CS020605
0.6 m x 10 m	CS010610	CS020610
0.9 m x 5 m	CS010905	CS020610W

CS010910

CS020910



0.9 m x 10 m



Typical Applications
General industrial, Engineering, Machine tool areas

Material PVC

**Resistance to Chemicals**PVC is resistant to many different chemicals, alkalis and general industrial chemicals. PVC resists alcohols, aliphatic hydrocarbons, oils, weak acids, strong mineral acids and alkalis. PVC resists oil and grease if properly cleaned. PVC does not resist organic solvents, ketones, esters and aromatic hydrocarbons. Please contact us for more specific details







#### **43 YEARS OF COBAMAT®**

#### WHERE IT ALL STARTED...

2022 marks 44 years since COBAmat was first launched. The concept of safety matting was still very new back in 1979. Factory workers traditionally used cardboard, or wooden or metal duckboards as a standing surface to insulate their feet from cold concrete floors. COBAmat changed all that.

At the time, COBA Europe didn't exist. The new matting operation originally traded as part of COBA Plastics Ltd, an established thermoplastic extrusions manufacturer supplying extruded components to a variety of sectors, from automotive to medical and packaging. Always innovative, COBA had spotted an opportunity for another use for its PVC extrusions.

Strips of extruded PVC were hand woven using a specialist technique, resulting in superior strength and flexibility compared to similar welded designs.

And so COBAmat (initially called Airomat) was born.

#### **WALKING ON AIR**


Of course, it was not long before news started to spread about this new safety mat.

Demand for COBAmat grew swiftly as customers reaped the benefits from standing on flooring described in marketing literature as 'walking on air'.


COBAmat could be seen in all sorts of places, from factory floors and leisure environments, to marine and motorsport. People who normally stood on hard, potentially slippery floors were delighted with the product that made standing more comfortable and floor surfaces safer.

Today, COBA Europe boasts over 150 floor safety products, facilities in 7 countries, and a global network of distributors.

The innovation that started it all, COBAmat, is still manufactured in the same way in the UK, and remains one of our most popular safety mats.








#### **MK3 TOUGH DECK**


#### 100% Recycled Rubber and Plastic Drainage Mats


• Non-slip, drainage and protection mat. • Easy DIY installation with interlocking system that conceals joins. • Ideal for industrial use, especially in areas prone to liquid spillage. • Hole size: 16mm diameter. • Slip tested to DIN 51130.• Product height: 20 mm

SIZE		BLACK	YELLOW
0.48 m x 0.48 m	Tile	RUBMK3	RUBMK3Y
	EDGING	BLACK	YELLOW
480 mm x 180 mm	Black Female Edging	RUBMK3RF	-
480 mm x 180 mm	Yellow Female Edging	-	RUBMK3FY
480 mm x 180 mm	Black Male Edging	RUBMK3RM	-
	Yellow Male Edging	-	RUBMK3RY













#### MK3 RUBBER FLOOR TILE PACKS

#### 100% Recycled Rubber and Plastic Drainage Mats

• Anti-fatigue, non-slip, drainage and protection mat. • Easy DIY installation with interlocking system that conceals joins. • Used in wet and dry areas including cold rooms, outdoor pool areas, bars and restaurants, changing rooms and DIY bakkie mats. • Great as a shower drainage mat. • Samples are available on request for pre-qualified leads and resellers only. • Product height: 20mm

SIZE		BLACK
480 mm x 480 mm	2 tiles per pack	RUBMK32
	EDGING	BLACK
480 mm x 180 mm		BLACK RUBMK3RF





#### **BRANDED CAR MAT**

**Logo Car Mat - Cushion Fall Material** 

• Product height: 8mm

SIZE	BLACK	
0.48 m x 0.48 m	LB000005CLM	





#### **COBARIB**

#### Best-selling ribbed runner for floors and workbenches

• Widely used for many different industrial applications, as floor matting or workbench/tool protection. • Ribbed rubber surface provides additional grip reducing the risk of slipping for operatives. • Provides a protective covering for workbenches, cushioning the impact of tools and apparatus. • Also useful for protecting stock at packing stations, and components in assembly areas. • Can be helpful in supporting noise insulation initiatives. • Product height: 3 mm, 6 mm









3 MM	BLACK
0.9 m x 10 m (3 mm)	RR010010
0.9 m x per linear metre (3 mm)	RR010010C

6 MM	BLACK
0.9 m x 10 m (6 mm)	RR010030
0.9 m x per linear metre (6 mm)	RR010030C







#### **COBADOT**

An easy to install rubber runner

- Versatile rubber floor covering. Studded surface looks smart, while being a practical choice for both industrial and commercial buildings. Nitrile option recommended for oily, greasy or chemical-prone locations based on its resilient properties.
- Provides enhanced underfoot grip to reduce the risk of slipping.
- Ease of installation minimises any down time can be bonded or laid loose to the floor. This product is designed as a runner only as the dots may not match up when lengths are placed together. Product height: 3 mm, 4.5 mm



SIZE	BLACK NITRILE	GREY NITRILE
1.2 m x 10 m x 3 mm	CDN010001	CDN060001
1.2 m x per linear metre x 3 mm	CDN010001C	CDN060001C



#### **GRIPGUARD**


#### **Grit surface matting with outstanding anti-slip properties**

- Mineral coated matting creates an abrasive 'super-grip' standing surface that sits flush to the floor. • Effectively reduces the risk of slipping in wet or oily conditions, where fluid spillage is prevalent.
- Durable and oil-resilient, ideal for internal industrial use, as well as other workplace environments. • Easy installation making this the ideal product for those needing a rapid solution to floor safety.
- Low profile negates creating a trip potential.
- Product height: 2.25 ± 0.2 mm

SIZE	BLACK
0.9 m x 6 m	GG010003
0.9 m x per linear metre	GG010003C









Typical Applications
Walkways

Mineral (Aluminium Oxide) Coating with vinyl backing

Resistance to Environment Suitable for wet and dry environments, indoors or outdoors



#### **SITEPATH**

#### Create high visibility walkways with ease

• A lightweight matting for easy deployment on construction or factory sites. • Flexible material can be laid onto uneven surfaces. • Diamond pattern top surface. • Yellow colour ensures walkways are easily visible. • Easily cleaned with a jet washer or hose. • Supplied in long rolls for easy installation. • Can be laid loose or adhered to the floor. • Low profile reduces trip potential. • Product height: 2 mm


SIZE	YELLOW
1 m x 5 m	SP070001C5
1 m x 10 m	SP070001











#### **GRIPSAFE**

#### Protective liner for workbenches and much more!

· Adaptable non-slip liner to protect both tools and shelves or workbenches. • Keep worktop items in place without the need for stands or clamps. • Fit inside drawers to reduce tools moving around. • Use on vehicle dashboards to prevent movement in transit. • Cuts easily, so you can fit to any space. • Very light - doesn't add extra weight to benches or toolboxes. • Wear resistant and machine washable providing a long lifespan. • Product height: 4 mm

SIZE	BLACK
0.6 m x 10 m	GS010001
0.6 m x 1.2 m	GS010002

#### **Typical Applications** Workbenches, Bar shelves, Tool drawers PVC foam













#### **NON-SLIP BOOTMAT**

Ideal non-slip liner for your car trunk

- Fit inside your boot to reduce luggage from moving around.
- Cuts easily, so you can fit to any space. Very light can easily be moved from one car to another. • Wear resistant and machine washable providing a long lifespan.
- Product height: 4 mm

SIZE	BLACK
0.6 m x 10 m	GS010001BM
0.6 m x 1.2 m	GS010002BM






# ELECTRICAL SAFETY MATTING

Safeguarding workers from the risk of electric shock

Electrical safety matting is essential for protection in high voltage areas, for example in front of switchboards and around high-power equipment. Our range includes three different options of electrical rubber matting, with various ratings and sizes to meet your specific requirements.







#### **COBASWITCH BS EN: 61111**

## Electrical insulating matting that conforms to BS EN 61111:2009

- Specialist electrical insulating matting to protect operatives from electrical shocks. Conforms to the most recent internationally recognised safety standard IEC 61111:2009 / BS EN 61111:2009. Designed specifically for use in front of switchboards and for other areas with high voltage equipment.
- Three thicknesses available to meet the different classes of working voltage, Class 0, Class 2 and Class 4. Colour coded on the reverse clearly identifying the working voltage classification.
- Ribbed surface helps to provide a firmer footing, reducing the risk of slips while improving standing comfort.
- Product height: 3 mm, 4 mm, 5 mm













SIZE	BLACK	TESTED TO	WORKING VOLTAGE	WITHSTAND TESTED TO
1 m x 10 m (3 mm)	SM010050	BS EN 61111:2009 Class 0	1KV	10KV
1 m x per linear metre (3 mm)	SM010050C	BS EN 61111:2009 Class 0	1KV	10KV
1 m x 10 m (4 mm)	SM010060	BS EN 61111:2009 Class 2	17KV	30KV
1 m x per linear metre (4 mm)	SM010060C	BS EN 61111:2009 Class 2	17KV	30KV
1 m x 10 m (5 mm)	SM010070	BS EN 61111:2009 Class 4	36KV	50KV
1 m x per linear metre (5 mm)	SM010070C	BS EN 61111:2009 Class 4	36KV	50KV

#### **COBASWITCH BS921/1976**

#### Specialist safety matting for high voltage areas

- Designed specifically for use in front of live switchboards and high voltage equipment for personal protection against electrical shocks. Ribbed rubber surface provides extra underfoot grip.
- Rubber has effective electrical insulating properties. (See individual volt testing.) 6 mm tested to 11,000 volts for 450 volt rated working. 9.5 mm tested to 15,000 volts for 650 volt rated working. 9.5 mm conforms to BS921/1976.
- Product height: 6 mm, 9.5 mm

SIZE	6 MM	9.5 MM
0.9 m x 10 m	SM010010	SM010030
0.9 m x per linear metre	SM010010C	SM010030C
1.2 m x 10 m	SM010020	SM010040
1.2 m x per linear metre	SM010020C	SM010040C












#### **COBASWITCH VDE**


# **VDE** approved electrical switchboard matting for personal protection

- Lightweight VDE approved mat designed for use in front of open switchboards and high voltage equipment. Provides safety for operatives against electric shocks. Fine fluted surface has slipresistance benefits. Tested to 50,000 volts according to DIN EN 60243-1 (VDE0303 part 21) IEC 60243-2:1996.
- Product height: 4.5 mm


SIZE	GREY
1 m x 10 m (4.5 mm)	SM060010
1 m x per linear metre (4.5 mm)	SM060010C











# **ESD MATS & ACCESSORIES**

Protecting people and components from the effects of static electricity

Electrostatic Discharge (ESD) can be a problem in certain working environments and pose a major risk to electrical or explosive components. Floors, chairs, work surfaces and packaging can all create static electricity, which when released is known as Electrostatic Discharge. We have a comprehensive range of lab tested ESD floor mats and accessories to protect you and your electronic components against the harmful effects of static electricity.

# ESD MATS & ACCESSORIES SELECTOR COBASTAT® COBACLITE® ESD COBACLITE® ESD SENSO DIAL ESD COBACLITE® ACCESSORIES SELECTOR COBACLITE® ESD SENSO DIAL ESD COBACLITE® COBACLITE® ESD SENSO DIAL ESD

#### **KEY**





**TOUGH LOCK ESD** 





**SLIP RATING (1-5)** 



#### A GUIDE TO ESD PROTECTION

Electrostatic Discharge (ESD) can cause serious issues in automotive manufacturing, potentially damaging electrical components, or detonating airbags. Floors, clothing, and packaging can all create static electricity, which when released becomes known as Electrostatic Discharge. We have a comprehensive range of industry tested ESD floor mats and accessories to protect your valuable components against the harmful effects of static electricity.

#### **ESD EXPLAINED**

Electrostatic Discharge (or ESD) is the sudden release of electricity between two electrically charged objects, commonly referred to as static electricity.

An effective solution is static-dissipative floor or work bench matting (ESD matting) which has conductive properties to draw the electric current away from the component.

For ultimate protection, they are used in conjunction with specialist ESD accessories such as heel grounders, wristbands and cords.

#### **ESD FLOOR MAT SAFETY**

Choose the appropriate floor mat(1) for your workbench in line with resistance requirements. Electrical resistance is measured in ohms or shown as this symbol  $\Omega$ .

Resistance Ω	Type	Function
10³ to 10⁵	Conductive	No initial charge. Provides path for charge to bleed off.
10 <sup>5</sup> to 10 <sup>9</sup>	Dissipative	No or low initial charge. Prevents discharge to or from human contact.
10 <sup>9</sup> to 10 <sup>12</sup>	Anti-Static	Initial charges are suppressed.
> 10 <sup>13</sup>	Insulative	Insulators and base polymers. Not ESD.


Operatives are advised to use two heel grounders(2), featuring a grounding tab to be used in the shoe, under the foot. Having chosen the appropriate floor mat, ensure you have a compatible floor mat grounding wire(3) to connect the earth bonding plug(4) to the mat.

#### **ESD WORKBENCH SAFETY**


Choose the appropriate mat for your workbench(5) in line with resistance requirements. ESD wristbands(6) are recommended to ground the operator when working with electronic components.

The fabric bands feature silver monofilaments for conductivity. They are designed to be fitted to a coiled grounding cord(7) and used in conjunction with a compliant earth bonding plug(8). A common point grounding wire connects the plug to the mat.

IT IS CRITICAL NOT TO CONFUSE STATIC-DISSIPATIVE (ESD) MATTING WITH 'ANTI-STATIC' OR 'ELECTRICAL SWITCHBOARD MATTING'.







#### **COBASTAT®**

#### Comfortable anti-static mat for dry environments

• Comfortable and durable floor mat protects operatives from static build-up. • ESD version of our popular Orthomat® antifatigue range. • Grounded via a 10 mm male stud fitted to the mat. • Maximum performance when used with grounding wire.
• Available as a handy COBAstat® Floor Kit with accessories provided. • Tested to EN14041 resistance requirements.


• Rv: 1.1 x 10<sup>7</sup> Ω • Product height: 9 mm


SIZE	GREY
0.6 m x 0.9 m	AS060001
0.9 m x 1.5 m	AS060002
0.9 m x 18.3 m	AS060003
0.9 m x per linear metre (max. 18.3 m)	AS060003C













#### **COBAELITE® ESD**

Bubble surfaced mat to tackle fatigue in ESD sensitive areas

- Static-dissipative anti-fatigue mat for comfort and safety.
- Conductive buried layer neutralises static charge, protecting components. Comfortable bubbled surface promotes subtle movement further reducing fatigue. Grounded via a 10 mm male stud fitted to the mat. Meets or exceeds IEC61340-5-1 resistance requirements. Resistance to a groundable point (Rgp): 2.4 x 10 $^{\rm 6}$   $\Omega$
- Product height: 14 mm

SIZE	BLACK
0.6 m x 0.9 m	SE010001ESD
0.9 m x 1.2 m	SE010003ESD





#### **ESD KITS ALSO AVAILABLE**

Part code	Description	
	COBAelite® ESD Studded Mat	
SE010001ESD	0.6m x 0.9m	
SE010003ESD	0.9m x 1.2m	
SE01FLOORKIT	COBAelite® ESD Floor Kit	
	Kit includes:  Floormat Grounding Wire  Yellow Earth Bonding Plug – UK  Property 1	





#### **SENSO DIAL ESD**

#### **Tough ESD matting for every environment**

• Durable ESD mat for demanding workplaces with excellent all-round safety features. • Soft foam backing provides exceptional fatigue-relief. • Patterned rubber top surface provides grip in oily or slippery situations. • Ramped edges to reduce trips. • Bespoke sizes and shapes available. • Rp-p and Rg < 1 x 109  $\Omega$  tested per IEC 61340-4-1 • Product height: 10 mm






SIZE	BLACK
1 m x 10 m	SN010002ESD
1 m x per linear metre	SN010002CESD

SPECIAL SIZES AVAILABLE ON REQUEST







#### **TOUGH-LOCK ESD**

#### Interlocking electrostatic dissipative floor tiles

• The resilient PVC material is suitable for both heavy and light industrial use, including withstanding the weight of most forklift trucks. • ESD properties help protect personnel and components. • Meets or exceeds BS EN 61340-5-1 Edition 2 2016-05 resistance requirements. • Tiles are easy to install, with a simple interlocking system. • Textured surface. • We can incorporate

almost any logo or symbol into your Tough-Lock floor to create a permanent and highly visual message. Logo tiles are cut by CNC water jet for precision. • Bevelled edging is available to add that finishing touch. • Surface Resistance: 2.2 x 10<sup>4</sup>  $\Omega$  /m² – 3 x 10<sup>6</sup>  $\Omega$ .

• Resistance to a groundable point: 2.9 x 10<sup>4</sup>  $\Omega$  – 5.7 x 10<sup>5</sup>  $\Omega$ 





TEXTURED	GREY
0.5 m x 0.5 m x 7 mm	TLS









#### **ESD RUBBER BENCH MAT**

#### **Economical ESD work bench mat**

- Rubber ESD bench mat fitted with 10 mm male stud. Solder iron resistant and low reflecting surface, ideal for working with electrical components. Easy to clean smooth surface.
- Conforms to IEC 61340-5-1. Point to point resistance (Rp-p): 1.2 x 10 $^4$   $\Omega$  Resistance to a groundable point (Rgp): 1.4 x 10 $^4$   $\Omega$
- Product height: 2 mm

SIZE	BLACK
0.6 m x 1.2 m x 2 mm	ESDB010005

Part code	Description
	ESD Studded Rubber Bench Mat
ESDB010005	0.6m x 1.2m x 2mm Black
SEB01BENCHKIT	ESD Rubber Bench Mat Kit
	Kit includes: Common Ground Point Wire Coil Cord Wrist Band Dark Blue Yellow Earth Bonding Plug – UK 3 Pin Plug Adaptor - SA



#### **ESD ACCESSORIES**



#### **EARTH BONDING PLUG**

#### Standard plug to connect ESD floor or bench mats to earth

• An ideal solution to connect bench and floor mats to ground to avoid injury to personnel and damage to components. • Works well with the anti-static wristband for personnel. • Neutral and mains voltage pins are made from plastic, whilst the earth pin is metal for guaranteed safety. • UK and EU versions available. • Does

not have a resistor as this is integrated with the grounding wire.

SIZE		WHITE
ESD 3 pin	plug adapt - SA	ESDPLUGADAPT



#### FLOOR MAT GROUNDING WIRE

Help protect equipment from static with an earth grounding wire

- Grounding wire for use with floor mats to help prevent static which could damage equipment.
- Conforms to 10 mm connection. Easy connection with female studs on each end.
- $\bullet$  Fitted with a 1 meg  $\Omega$  resistor to help static discharge.

SIZE	YELLOW
3.0 m	HR000011



#### COMMON POINT GROUND WIRE

Safely grounds ESD Matting and operators

- 10 mm female stud at one end for connection to a 10 mm male stud on an Earth Bonding Plug.
- 10 mm female stud for connection to the mat, along with a 10 mm male stud. 4 mm banana socket for connection to operator coil cord.
- Length: 4.5 m wire for connection to earth plug.

SIZE	YELLOW
4.5 m	HR000005



#### **COIL CORD**

For use with an ESD Wristband or Heel Grounder

• PE conductive coil cord. • Good coil memory and tangle-free. • 1 meg  $\Omega$  resistor incorporated for operator safety. • 10 mm female stud to 10 mm female stud. • Max length: 1.8 m.

SIZE YELLOW	
1.8 m HR000006	



#### **HEEL GROUNDER**

Conducts harmful static for operator safety

- Designed to ground the operator when used on suitable conductive or dissipative flooring.
- Hardwearing, long-lasting rubber construction suits all shoe sizes and shapes. • Fully adjustable, lightweight design • Conductive tab ensures reliable and effective skin contact.
- Two grounders recommended at all times for

complete ESD safety.  $\bullet$  Fitted with a 1 meg  $\Omega$  resistor for operator safety.

SIZE	BLACK
One size	HR000008




#### **WRISTBANDS**

Comfortable and functional grounding wristband

Crochet style elasticated, fully adjustable wristband, manufactured in the UK. 
 Quality manufacture for durability. 
 Woven silver monofilaments conduct static while providing excellent band to skin contact. 
 Fits to the coiled ground wire via a 10 mm male stud.

• Meets or exceeds IEC61340-5-1.

SIZE	DARK BLUE
One size	HR000007



NEW PRODUCTS IN THIS CATEGORY

GRP NOSING —

NEW COLOURS AVAILABLE

Page 63

# FLOOR LEVEL SAFETY ACCESSORIES

Defining dangers and increase pedestrian safety

The most commonly occurring cause of non-fatal accidents in the workplace continues to be slips and trips. Injuries resulting from such accidents cause pain and suffering for the individual but can also be complex for the site owner or employer. By reducing the risk of slips with non-slip floor surfaces or highlighting floor level hazards with tape and cable protectors, this will go a long way to reducing overall risk.

#### **CABLEPRO GP**

#### All-purpose cable cover available in 3 m or 9 m lengths

- Reduce trip hazards caused by trailing cables. Protect cables and wires from being pulled and causing costly damage to equipment. Hazard strip version for increased visibility.
- Tapered edges to reduce trip hazards. For inside and outside use. Ideal for offices, warehouses, events, shows and exhibitions. Features a pre-cut slit on the reverse to make inserting cables easy.

PART	SIZE	BLACK	BLACK/YELLOW
GP1	3 m	CP010012	CP010711
GP2	3 m	CP010013	CP010712
GP1	9 m	CP010005	CP010701
GP2	9 m	CP010006	CP010702


















#### **CABLEPRO DATA**


#### Protect data cables, reduce trip hazards

• Ideal for keeping multiple cable types separated. • Seam in base for snapping in cables. • Reduce trip hazards caused by trailing cables. • Protect cables and wires from being pulled and causing costly damage to equipment. • Tapered edges to reduce trip hazards. • For inside and outside use. • Ideal for offices, warehouses, events, shows and exhibitions. • Features a pre-cut slit on the reverse to make inserting cables easy.


PART	3 M	9 M
(Data1)	CP010010	CP010003
(Data2)	CP010011	CP010004













#### **CABLEPRO HD**


#### One or two duct heavy-duty cable protector


• Tough ramped edges keep cables protected from wheeled traffic such as cars and forklifts. • Large 23 mm diameter channels accommodate heavy-duty cables. • Suitable as indoor or outdoor cable protector. • Ideal for industry, warehouses, events, shows and exhibitions. • Features a pre-cut slit on the reverse to make inserting cables easy.

PART	3 M	4.5 M	9 M
HD1	CP010007	-	CP010001
HD2	-	CP010009	CP010002









Typical Applications
Offices, Warehouses

Material
PVC

Resistance to Environment
Suitable for indoor and

outdoor environments



#### **CABLEPRO MAT**

#### Designed to be laid over cables to reduce trip hazards

• Special cable mats for protection from tripping hazards due to loose cables lying around. • Extremely durable nylon surface in dappled colour shades. • Cleated non-slip backing made from durable nitrile rubber with integrated cable run. • Edge in hazard stripe. • Light-resistant and suitable for underfloor heating. • Antistatic. • Easy to lay out, reposition and clean. • Ideal for events, shows and exhibitions.

SIZE	SKU
0.4 m x 1.2 m	CPM010701









#### **COBATAPE**

#### Clearly define areas and hazards with floor tape

• A self-adhesive backed vinyl floor tape to quickly mark lines on floors. • An ideal solution to mark out areas within factories and industrial settings. • Available in a number of colours, with plain and hazard striped options available to increase visibility further.





#### **BARRIER TAPE**

#### Create temporary barriers to hazardous areas

• Durable and easy to apply to inside or outside areas. • Red and white striped means the tape is highly visible. • Strong nonadhesive polyethylene barrier tape for industrial environments.

 SIZE
 RED/WHITE

 76.2 mm x 500 m
 BT130301





#### **GRIPFOOT**

## Improve grip on smooth surfaces with an abrasive grit finish

- Self-adhesive tapes, cleats or tiles with an abrasive grip surface which helps to improve anti-slip properties. A hardwearing and easy to install solution to help prevent slips and trips. Available in a range of colours, including a hazard version which provides high visibility in darkness and low light conditions. Gripfoot Tape versatile for floor surfaces, machinery and vehicles.
- Gripfoot Cleats (rectangular) are designed for use on steps and stairs. Gripfoot Tiles (square) are ideal for increasing safety on smooth, tiled floors. Slip tested to DIN 51130.
- Product height: 1.05 mm











SIZE	BLACK	BLUE	CLEAR	GREEN	RED	YELLOW	RED/WHITE	BLACK/YELLOW
25 mm x 18.3 m	GF010001							
50 mm x 18.3 m	GF010002	GF020002	GF120002	GF040002	GF030002	GF070002	GF031002	GF010702
102 mm x 18.3 m	GF010003							
152 mm x 18.3 m	GF010004							
140 mm x 140 mm	GF010005 Pack of 10							
152 mm x 610 mm	GF010006 Pack of 10							

YELLOW	Aisleways & Traffic Lanes, 'Paths of Egress', Work Cells
WHITE	Production -OR- Racks, Machines, Carts, Benches, and other equipment that does not fall under any other color guidelines
RED	Defect/Scrap Area; Red Tag Area
ORANGE	Materials or Product Inspection -OR- Energized Equipment
GREEN	Raw Materials -OR- First Aid-Related Locations

BLUE	Works-In-Progress
BLACK	Finished Goods
BLACK YELLOW	Areas which present physical or health risks to employees. Indicates that extra caution is to be exercised.
RED WHITE	Areas to be kept clear for safety reasons (around emergency access points, electrical panels, firefighting equipment, etc.)
BLACK WHITE	Areas to be kept clear for operational purposes (non-safety related)

#### **GRIPFOOT CONFORMABLE**

## Improve grip on irregular surfaces with this abrasive grip finish


• Self-adhesive foiled backing tape with an abrasive surface to help improve anti-slip properties. • A foiled backing allows for rolling and hammering into shape on irregular surfaces.

Product height: 0.9 mm



SIZE		BLACK
50 mm x 18.3 m		GF010002C
102 mm x 18.3 m		GF010003C
152 mm x 18.3 m		GF010004C
140 mm x 140 mm	Pack of 10	GF010005C
152 mm x 610 mm	Pack of 10	GF010006C







#### **COBAGRIP® SHEET**

GRP flooring is the ideal solution to combat slip hazards such as liquids and ice


- An easy to install anti-slip solution for internal and external areas.
- Simply bond or screw the GRP flooring onto the existing floor surface. Available in a range of colours which meet the Equality Act requirements, including black, grey and yellow.
- Product Height 5 mm

 SIZE
 BLACK

 1.2 m x 1.2 m
 GRP010002








#### **COBAGRIP® LIGHT**

#### GRP flooring solution for use on undulating surfaces

- An easy to install anti-slip solution for internal and external areas.
   Made from silicon carbide it's ideal for use on undulating surfaces including factory walkways, ramps and bridges.
- Simply bond or screw the GRP flooring onto the existing floor surface. Available in a range of colours which meet the Equality Act requirements, including black, grey and yellow.
- Product height: 2.4 mm

SIZE	BLACK
1.2 m x 1.2 m	GRP010002I





#### **COBAGRIP® STAIR NOSING**

Increase stair safety with highly visible anti-slip stair nosing

- Durable and easy to install on both existing and new-build steps.
- A hard wearing, gritty surface available in bright colours helps protect against slips and trips whilst meeting the Equality Act requirements (DDA). Manufactured with chamfered back edge for additional safety. Product height: 5 mm

SIZE	YELLOW	BLACK/YELLOW	BLACK
1 m x 55 mm x 55 mm	GRP070004N	GRP010704N	GRP010004N
1.5 m x 55 mm x 55 mm	GRP070003N	GRP010703N	GRP010003N





#### **COBAGRIP® STAIR TREAD**

Increase stair safety with a non-slip silicon carbide surface finish


• Fully cover a stair area with an anti-slip surface. • Each stair tread covers the entire step area, overlapping the edge onto the riser acting as stair protectors. • Available in yellow or white, which both meet current Equality Act requirements. • The perfect match with our COBAGRIP Sheet. • Product height: 5 mm

SIZE	BLACK/YELLOW	<b>BLACK/WHITE</b>
1 m x 345 mm x 55 mm	GRP010704S	GRP010134S
1.5 m x 345 mm x 55 mm	GRP010703S	GRP010133S









#### **ALUMINIUM STAIRTREAD**


Reduce slips and increase safety on stairs with a highly visible stair tread

• Helps protect stairs from wear and tear, whilst also increasing safety. • Easy to install and replace. • An aluminium plate with non-slip tape bonded to it to increase traction. • Available in packs of five, or individually.

SIZE		BLACK	BLACK/YELLOW
625 mm x 114 mm	Pack of 1	GF010011	GF010711
625 mm x 114 mm	Pack of 5	GF010010	GF010710







# NEW PRODUCTS IN THIS CATEGORY CAT ALUMINIUM TRIMS


Page 67

# **FLOOR TRIMS**

A range of designer floor transitions and practical flooring edges and finishers.

Without the right finishing touches in place a floor can easily lose its impact, to the detriment of your interior design. The DHC (Designer Home Collection) is a range of 15 floor transition strips and nosings, available in 8 sleek finishes that mimic high end materials like brass and bronze without the price tag of solid metal. We also offer a practical range of plastic and vinyl finishers such as bevelled edges, expansion joints and cove and fillet profiles.









#### **FLOORING TRIMS & CARPET TRIMS**









**FELINE A/9/2 DHC** 


**FELINE A/10 DHC** 






**FELINE A/12Z DHC** 


**FELINE AT25 DHC** 







**ANF DHC** 

**CAP IT DHC** 









**AC38 DHC SF** 

**AC38 DHC** 


**AR6 SF DHC** 







#### **KLIK SLIM TWIN TOP**

**KLIK SLIM RAMP TOP** 







#### **DHC Designer Finishes:**



















Brushed Stainless Bright

Light Bronze

Onyx

x Piano Black

o Black Designer Satin

 $\label{thm:constraints} \mbox{Designer Home Collection finishes are anodised finishes and shades can vary from batch to batch.}$ 



#### **CAPPING STRIP**

#### Provides vinyl flooring with a professional finish

• Capping Strip offers a sealed finish around a room when the vinyl flooring extends up the wall. • Available in 5 different colours to suit various floor finishes. • Made from PVC it can be moulded and shaped a required. • PVC won't chip, crack, cup, or bow, and it won't rot or be prone to insect infestation. Thus the ideal option for areas where hygiene is important. • PVC doesn't absorb moisture, it's an excellent choice for use in humid areas. • Capping strip can be used in conjunction with a Cove fillet to


• Capping strip can be used in conjunction with a Cove fillet to provide a professional finish and easy maintenance solution to vinyl flooring in moisture sensitive areas.

SIZE	BLACK
6mm X 22mm X 50m Light Grey	H486/L-GREY
6mm X 22mm X 50m Dark Grey	H486/D-GREY
6mm X 22mm X 50m Medium Blue	H486/M-BLUE
6mm X 22mm X 50m Dark Blue	H486/D-BLUE
6mm X 22mm X 50m Beige/Earth	H486/BG-EARTH












#### **COVE FILLET**


A flexible flooring option


• PVC can be molded and shaped to your preference. • Can fit around curved and oddly-shaped exterior features. • PVC won't chip, crack, cup, or bow, and it won't rot or be prone to insect infestation. Thus the ideal option for areas where hygiene is important. • PVC doesn't absorb moisture, it's an excellent choice for use in humid areas. • Due to the easy mould and cutting of PVC, there is little to no waste on the construction site. • Used as transitional filling for vinyl flooring. • This will avoid vinyl from cracking if it goes up the wall.


SIZE	BLACK
15 mm x 15 mm x 30 m coil	H425BL
26 mm x 26 mm x 30 m coil	H426BL
41 mm x 41 mm x 15 m coil	H427BL











#### **BEVELLED PVC EDGING**


Offers a neat finish to loose lay mats.


- Bevelled PVC Edging offers a neat finish to loose lay mats.
- Edging is adhered to mats to prevent people from tripping over the mat and to ensure smoother trolley movement.
   Product height: 10 mm, 15 mm

SIZE	BLACK
40mm x 1m x 10mm	EDGEPVC9.5
50mm x 1m x 15mm	EDGEPVC14
Xsmall Edging PVC 25mm X 1m X 4mm	EDGEPVC4











The 40 mm edging is compatible with the following products:

- Cushion
- Spectra Clean
- Berberpoint
- Alba
- Trio Brush

The 50 mm edging is compatible with the following products:


- Super Contract Fall
- Trio Scraper
- Super Scraper
- 17mm Coir


#### **COBA EXPANSION JOINTS**

The perfect solution for high performance floor tiling in a commercial or residential setting.

• Our expansion joints are produced with certified PP/LDPE material to provide better impact strength. • LDPE insert is renewable / removable if worn or damaged.• Custom/branded punch outs optional. • Can be made in any colour required. Locally produced. • Filament structure creates a capillary effect for improved dirt retention/absorbency. • Environmentally-friendly – does not require chemical pretreatment or washing detergents.• Samples are available on request for pre-qualified leads and resellers only.• Strength designation: 4.6%.

SIZE	LIGHT GREY	DARK GREY	WHITE
10 mm x 2.5 m	A1346- 2500	A1346- 2500	A1346- 2500
10 mm x 2.5 m	A1347-2500	A1347-2500	A1347-2500
10 mm x 2.5 m	A1348- 2500	A1348- 2500	A1348- 2500














**+27 (0)11 452 7961** 

Explore more



Entrance Architect



# **FLOOR COVERINGS**


Increasing comfort and protecting floors

Covering concrete can be a simple and effective way of making an area more comfortable to work in but also easier to clean and more attractive. Our rubber tiles feature a timeless design suitable for a wide array of locations, and our interlocking vinyl solutions can be fitted quickly and easily and even without adhesive. We also have accessories to make fitting a breeze!

#### **FLOOR COVERINGS SELECTOR**







# Typical Applications Ideal for use in home or office, playrooms and garages. Material 100% Recycled PVC Interlocking Floor Tiles





SIZE		BLACK
465mm x 465mm x 6mm	Tile	RUBKL6V
465 mm x 30 mm x 6 mm	Edging	RUBKLR6V

#### **KWIKLOK TILES**

100% Recycled PVC Interlocking Floor Tiles

• Easy DIY installation. • Popular low cost flooring for inside the house or office, playrooms and garages. • No adhesive required. • Made from 100% recycled PVC. • Non conductive and fire resistant. • Please note: This product may discolour and warp if laid in areas exposed to direct sunlight. • Do not expose to direct sunlight or extreme temperatures. • Edging available on special order. • Samples are available on request for pre-qualified leads and resellers only. • Our interlocking tile range should only be used on floor applications, if these tiles were to be used on walls or any other application, please consult an adhesive specialist to ensure that the correct adhesive is used for your installation. Always consult your Sales Account Manager to ensure this product can be installed on your specific site for the application you require • Product height: 6 mm






RUBKLR6
RUBKL6
RUBKL64

#### **KWIKLOK VIRGIN MATERIAL**

**Virgin Material Interlocking Floor Tiles** 

Virgin material means no blemishes, leaving you with better aesthetics • Easy DIY installation. • Popular low cost flooring for inside the house or office, playrooms and garages. • No adhesive required. • Made from 100% recycled PVC. • Non conductive and fire resistant. • Please note: This product may discolour and warp if laid in areas exposed to direct sunlight. • Do not expose to direct sunlight or extreme temperatures. • Edging available on special order. • Samples are available on request for prequalified leads and resellers only. • Our interlocking tile range should only be used on floor applications, if these tiles were to be used on walls or any other application, please consult an adhesive specialist to ensure that the correct adhesive is used for your installation. Always consult your Sales Account Manager to ensure this product can be installed on your specific site for the application you require • Product height: 6 mm












#### **BLACK SILICONE**

#### Flexibility for thermal changes in your flooring

• A high performance, single component, moisture curing Silyl Modified Polymer (SMP) based adhesive and sealant. • Our Black Silicon will bond most surfaces even if both are impervious. • UV resistant • Temperature resistance -60°c until + 180°c • Suitable for interior and exterior applications. • It has very low odour, cures to form a hard elastic rubber, with almost no shrinkage and is low hazard. • Does not contain any water or solvent, making it ideal for bonding foam polystyrene sheets. • When fully cured, the product may be painted with most types of water-based emulsion paints.

SIZE	BLACK
300 ml Adhesive Silicone	GLUE04



NEW PRODUCT IN THIS CATEGORY **ALBA ANTI-FATIGUE** 

Page 77

## OFFICE FURNITURE ACCESSORIES

Bringing comfort, safety, and hygiene for the workplace

There have been many changes in the workplace over the last few years, not least due to Covid-19, but also due to an increased awareness of the negative effects of office ergonomics. This new category now contains two anti-fatigue mats deigned to reducing discomfort for office workers that stand, either at work or at home, and a range of flexible surface mounted screens to reduce airborne particles being passed between colleagues or with clients.





#### **ORTHOMAT® OFFICE**

The anti-fatigue mat for office workers

• Improves overall posture and wellbeing when standing in static positions. • Provides just the right balance between cushioning and foot support for users of sit/standing desks. • Helps to delay the onset of pain and tiredness otherwise experienced from standing on hard or firm floor surfaces. • Textured underside keeps this anti-fatigue mat in place. • Gentle bevelled edges to reduce trip hazards, while creating a neat 'anti-curl' finish that sits flush to the floor. • Highly durable, can withstand a wide range of footwear. • Handy size for ease of handling making lifting and moving an effortless task. • Fits into most office workstations. • Product height: 16 mm

SIZE	BLACK		
0.5 m x 0.8 m	OO010001		











#### **ALBA ANTI-FATIGUE**

Anti-fatigue comfort mat with durable carpet surface

• Smart cut-pile carpet top surface blends in with modern interiors and adds an extra layer of comfort. • Foam base layer provides relief from prolonged standing and stimulates movement to support circulation. • Helps to delay the onset of pain and tiredness otherwise experienced from standing on hard or firm floor surfaces. • Ideal for offices, receptions, hospitality front of house, and domestic use. • Bevelled edges and rounded corners reduce the risk of trips. • Exceptionally durable carpet made from ECONYL®, a recycled nylon material made from discarded fishing nets and other sources. • Available in two sizes to suit different desks and spaces.

SIZE	ANTHRACITE	GREY	
0.5 x 0.85 m	AAF010001	AAF060001	
















#### **CHAIRMAT**

100% Recycled PVC Interlocking Floor Tiles

• An ideal low cost solution for protecting floor surfaces. • Easy DIY installation - no adhesive required. • Installation instructions provided. • Made from recycled PVC - non-conductive and fire resistant. • Each Chairmat consists of smooth interlocking tiles and edging. • Long life span in outdoor conditions. • Open holes allow grass to grow through. • Product Height: 6 mm. • Strength designation: 4.6%.


SIZE		SKU
1 m x 1 m x 5 mm	4 Black Tiles & 8 Edges	LGTE010001
1 m x 1.5 m x 5 mm	6 Black Tiles and 10 Edges	LGTE010002




### CHAIR MAT (PET) Protect carpets and hard floors from

wear caused by office chairs


- Slip resistant chair mat for hard floors and carpets. Available in a range of shapes and sizes to fit any space. • Cost-effective.
- Fully recyclable. Product Height: 1.8 mm, 2.5 mm



SIZE		CLEAR
0.9 m x 1.2 m	Carpet (Shape A)	CMC00001PES
1.2 m x 1.5 m	Carpet (Shape A)	CMC00002PES
1.2 m x 2 m	Carpet (Shape A)	CMC00003PES
1.2 m x 1.5 m	Carpet (Shape B)	CMC00002PEL



SIZE		CLEAR
0.9 m x 1.2 m	Hard floor (Shape A)	CMH00001PES
1.2 m x 1.5 m	Hard floor (Shape A)	CMH00002PES
1.2 m x 2 m	Hard floor (Shape A)	CMH00003PES
0.9 m x 1.2 m	Carpet (Shape B)	CMC00001PEL
0.9 m x 1.2 m	Hard floor (Shape B)	CMH00001PEL
1.2 m x 1.5 m	Hard floor (Shape B)	CMH00002PEL



#### **ANTI-SLIP CARPET UNDERLAY**

Fits neatly underneath you carpet to prevent moving or sliping.

- Suitable for all types of flooring, carpets and hard floors.
  Simply cut to size and place under mat.
  Prevents carpets from sliping or moving. • Keeps rugs flat and wrinkle free.

SIZE		SKU
900 mm x 450 mm	Carpet Underlay	CUW00001
1200 mm x 600 mm	Carpet Underlay	CUW00002
1800 mm x 1200 mm	Carpet Underlay	CUW00003







#### **COBAGUARD UNIVERSAL**

Protects floor surfaces from paint and debris when decorating

• Adaptable film which can be applied to most surfaces including carpet, laminate, ceramics and glass. • Product height: 80 microns

SIZE	CLEAR
0.6 m x 10 m	CGU00001




Temporary protection of carpets and hard floors

#### Materia

PE (LDPE and LLDPE) film





### NEW PRODUCT IN THIS CATEGORY PREMIER FASTTRACK

Page 87

## ENTRANCE MATTING SYSTEMS

Tackling dirt and protecting interior surfaces

COBA offers an extensive range of Aluminium, Carpet and Tiled based entrance matting systems that are both stylish and deliver superior wear resistance for busy areas subjected to high volumes of pedestrian footfall. Many of our options have environmentally friendly materials in their manufacture. Whether it is interlinking entrance tiles, carpet on rolls or a custom-made aluminium system, our trained sales team can advise at every stage of specification and installation.

#### **ENTRANCE MATTING SYSTEMS SELECTOR**

	roof	RAFIC WHE	to the the	to Raffic 2	I.I TRAFFE 3	LED FRAFFIC A ZOME	WARR	HAT THE EAST	HE THE	MOS	JARE RECYCL	A MATERIAL
			11117			1 2 3	1	<b>Easy</b> Install™			MADE FROM RECYCLED MATERIALS	PAGE
PLAN.A <sup>TM</sup>	4	~	~	~	~	1 • 2 • 3	10		~	~		84
PREMIER GRIP	3	~	~	~		1 • 2	5		~			86
PREMIER STAR GRIP	3	~	~	~		1 • 2	5		~	~		86
PREMIER FASTTRACK	3	~	~	~	~	2 • 3	5	~	~	~	~	87
PREMIER TRACK	4	~	~	~	~	2	5		~	~	~	88
TREADWELL	3	~	~	~		2	5	~	~			89
Q-BEEZ	4	~	~	~		1 • 2	5	~	~		<b>✓</b>	89
DM ALUMINIUM	3	~	~	~		1 • 2	5		~	~		90
BERBER POINT	2	~	~			3	1		~			91
TRIO-BRUSH	4	~				2	3		~	~		92
TRIO SCRAPPER	2	~				2	3		~	~		93
SUPER SCRAPER	2	~	~			3	3		~	~	~	94
ALBA	2	~	~			3	3		~	~	~	95

#### **ZONES**

We recommend a zoning system when choosing your entrance matting. Whether your entrance extends outdoors or is fully covered, creating three zones delivers optimum dirt barrier performance, ensuring interior floors are kept clean and hazard free.

















				og o	i!i!'				<b>*</b>
Light	Medium	High	Very High	Light	Medium	Heavy Duty	Max Duty	Dirt	Moisture
Less than 80 people per hour 3-4 metres	Up to 300 people per hour 6-7 metres	Around 600 people per hour 8-10 metres	Over 5,000 people per day 9-12 metres	Suitcases, Wheelchairs	Supermarket Trolleys, Sack barrows, Luggage trolleys	Supermarket Cages, Pallet Trucks	Forklift Trucks, Hydraulic Cranes	Most Effective Against Dirt/Soil	Most Effective Against Moisture

Pedestrian Traffic Wheeled Traffic Contaminants Depending on the nature of the building, the entrance may have to contend with different types of wheeled traffic. It is It is important that matting is a sufficient length to allow All of our products protect moisture and debris to be wiped off footwear as people you against contaminants, important that all matting complies with DDA Regulations/The Equality Act, so that wheelchairs can safely move on and off. walk across the mat. Our COBA Flooring team recommends but some products are a minimum of six footsteps for this to be effective. more effective than others for removing either dirt or moisture. Use these icons to determine which.




#### SUPPLY:

With distribution centres across Europe we're proud to be able to offer next day delivery on many of our products, perfect for those last minute jobs! Our **EasyInstall<sup>TM</sup>** range of entrance matting has been developed with this in mind. Off the shelf, modular systems, they are quick to order and install. If you've got more time to spare, why not get in touch with our team for free samples, site surveys and support!

#### INSTALLATION:


Specifying the right entrance matting for your building is one thing but installation of some of the most popular systems such as aluminium matting is also a specialist job. That's why we offer a complete supply and install service.


Our trusted team have years of experience working with COBA products, and know them inside out. We can even install your project overnight to prevent any business downtime. Once we've installed your project we'll clear up and dispose of any rubbish, leaving you to admire your new flooring installation!





#### **INSERT OPTIONS**











#### PLAN.ATM

Defend against dirt and moisture with versatile aluminium entrance matting

- Robust, high-quality aluminium system for heavy-duty use designed to cope with high footfall.
- Flexible, yet durable PVC linking joints for ease of handling and easy fitting. Custom-made to order to your specification. Choose from one, or a combination of different surface options. Also now available with vibrant coloured needlepunch or needlefelt polypropylene carpet inserts as used our Logomat Precision products. Logomats can be incorporated into any Plan.a design.
- Manufactured in the UK. Fire tested to BS EN 13501-1 and slip tested to BS 7976-2.
- Product height: 10 mm, 17 mm





















DESCRIPTION	SIZE	PROFILE HEIGHT	SURFACE CONSTRUCTION	INSERT TYPE	SKU
Plan A Low Profile	Per Square Metre	10mm	Open	Alba	PLANA0001
Plan A Low Profile	Per Square Metre	10mm	Closed	Alba	PLANA0002
Plan A Standard Profile	Per Square Metre	17mm	Open	Alba	PLANA0003
Plan A Standard Profile	Per Square Metre	17mm	Closed	Alba	PLANA0004
Plan A Low Profile	Per Square Metre	10mm	Open	Berber	PLANA0005
Plan A Low Profile	Per Square Metre	10mm	Closed	Berber	PLANA0006
Plan A Standard Profile	Per Square Metre	17mm	Open	Berber	PLANA0007
Plan A Standard Profile	Per Square Metre	17mm	Closed	Berber	PLANA0008
Plan A Low Profile	Per Square Metre	10mm	Open	Nylon Black Brush	PLANA0013
Plan A Low Profile	Per Square Metre	10mm	Closed	Nylon Black Brush	PLANA0014
Plan A Standard Profile	Per Square Metre	17mm	Open	Nylon Black Brush	PLANA0015
Plan A Standard Profile	Per Square Metre	17mm	Closed	Nylon Black Brush	PLANA0016
Plan A Low Profile	Per Square Metre	10mm	Open	PVC Scraper Strips	PLANA0017
Plan A Low Profile	Per Square Metre	10mm	Closed	PVC Scraper Strips	PLANA0018
Plan A Standard Profile	Per Square Metre	17mm	Open	PVC Scraper Strips	PLANA0019
Plan A Standard Profile	Per Square Metre	17mm	Closed	PVC Scraper Strips	PLANA0020










#### PREMIER GRIP

100% Recycled PVC Interlocking Tile System

• Suitable for use indoors and outdoors. • Dirt-scraping raised nodules. Small holes provide efficient drainage. Suitable for wheeled access. • Easy to install, clean and maintain. • Fire tested to EN13501 Euro Classification B(F1)S1. Links directly with Premier Track and Premier Star Gripper. • Product height: 12 mm

SIZE	BLACK	GREY
450 mm x 300 mm	PG010001	PG060001





#### PREMIER STAR GRIPPER PLUS

Interlocking carpet entrance tiles to keep internal floor coverings clean and slip free

• NEW - Closed Construction Tiles. • Interlocking entrance tiles designed for a matwell. • Two surface options available: Polypropylene carpet or Woven Brush. • Solid surface tiles effectively capture dirt to protect interior floors. Hardwearing woven brush inserts scrape dirt and wipe moisture. • Woven Brush showed no wear or tear after 100 000 scrapes with point weight of 2kg. • PVC base tile is manufactured from 100% recycled materials. Suitable for high volume footfall in commercial locations. • Tiles simply clip together on site for ease of transportation and installation. • Move, clean or replace individual tiles - they clip together with ease.

• Product height: 12.5mm






SIZE	DESCRIPTION	COLOUR	SKU
450 mm x 300 mm	Berberpoint Tile Open Construction	Charcoal	PSG010001
450 mm x 300 mm	Berberpoint Tile Closed Construction	Charcoal	PSG010001C
450 mm x 300 mm	Woven Brush Tile Open Construction	Charcoal	PSG010002
450 mm x 300 mm	Woven Brush Tile Closed Construction	Charcoal	PSG010002C
450 mm x 300 mm	Dual Berber tactic/Alba anthracite (Open Construction)		PSG010005
450 mm x 300 mm	Dual Berber tactic/ Alba anthracite (Closed Construction)		PSG010005C
450 mm x 300 mm	Dual Berber polish/ Alba grey (Open Construction)		PSG010006
450 mm x 300 mm	Dual Berber Polish/ Alba Grey (Closed Construction)		PSG010006C







#### PREMIER FASTTRACK

The 'easy-fit' entrance mat system


• A modular entrance matting system that is ready to install straight from the box. • Conveniently supplied in boxes of 8 tiles to cover 1m<sup>2</sup>. • Easy DIY interlocking system means that installation can normally be achieved in-house without a specialist contractor. • Part of COBA's EasyInstall™ range. • Designed for recessed entrance mat wells. • No adhesive required - less mess and faster installation time. • Heavy duty tiles are effective at protecting internal floors. • Efficiently removes moisture and debris, even from wheeled trolleys, without buckling. • Safe for high heeled footwear for reduced trip risk. • Easily move, clean or replace individual tiles - they clip together with ease. • Simply cut tiles to shape, to fit any space. • Exceptionally durable carpet inserts are manufactured from ECONYL®, a recycled nylon material sourced from discarded fishing nets. • Fire tested to BS EN 13501-1 and slip tested to BS 7976-2. • Tile height: 12.5 mm• Product height: 13.5 mm

SIZE	ANTHRACITE	(PACK OF 8)
29 cm x 44 cm	PFT0101C	PFT0101CX8










#### **PREMIER TRACK**

Protect internal flooring with heavy-duty, premium quality entrance tiles

• Effectively removes moisture and debris, even from wheeled trolleys, without buckling. • Safe for high heeled footwear, heels won't get stuck in the tiles. • Move, clean or replace individual tiles - they clip together with ease. • Easily cut to shape, so you can fit to any space and install faster with fewer specialist tools. • Exceptionally durable carpet inserts manufactured from ECONYL®, a recycled nylon material made from discarded fishing nets and other sources. • Ideal for recessed entrance wells. • Fire tested to BS EN 13501-1 and slip tested to BS 7976-2.

• Tile height: 12.5 mm • Product height: 13.5 mm









SIZE P.	ART DESCRIPTION	ANTHRACITE	GREY
450 mm x 300 mm	(Open Surface)	PT010101	PT010601
450 mm x 300 mm	(Closed Surface)	PT010101C	PT010601C

#### **TREADWELL**


100% recycled, hardwearing entrance floor tiles

- Ideal for entrances with medium to high footfall. Fit for use with trolleys. Entrance floor tile manufactured from 100% recycled material. Looks stylish when laid in uniform or parquet.
- Easy to install. Can be used for zone 1 to 3 in an entrance matting system. Product height: 10 mm











#### **Q-BEEZ**

Easy fit floor tiles - unpack and lay in minutes, not hours

• Innovative product, entrance mat in a box. • Easier to transport than matting on a roll and potentially less wastage compared with cutting from a roll. • Simple entrance matting solution with practical and creative design impact. • Easy fit, just lay into place on the subfloor using a tackifier or adhesive. You only need to cut the last row of tiles, hand tools can be used to cut and shape if needed. • Solid surface design prevents dirt from falling through the mat, making maintenance easy with regular vacuuming. • The rib features on each tile align perfectly, creating minimal installation waste. • Numerous laying patterns offer added flexibility for creating desired finish. • Individual tiles can be replaced if they become damaged, eliminating the need to replace the entire entrance matting area. • No Shrinkage • Only for recessed applications. • Installation method: Glue recommendation for installation - TECHEM Adhesive TEC PSA 006. Apply glue with notched trowel. Allow curing time. • Product height: 13 mm










SIZE	ANTHRACITE	GREY
45 cm x 45 cm x 1.3 cm	Q-BEEZC-FL-S3	Q-BEEZC-FL-S4
21cm x 21 cm x 1.3 cm	Q-BEEZC-FL-S1	Q-BEEZC-FL-S2

89





#### **DM ALUMINIUM**

**High-quality aluminium matting** 

- Robust, high-quality aluminium system for heavy-duty use.
- Three surface options available: Woven Brush, Berber Point or Alba. Durable linking joints for ease of handling/fitting.
- Suitable for high volume footfall in commercial locations.
- Custom-made to order. New: Custom branding in full colour.
- Moulded bevelled edges reduce trip hazards and are suitable for wheeled access. Samples are available on request for pre-qualified leads and resellers only. Samples are available on request for pre-qualified leads and resellers only. Strength designation: 4.6%. Product height: 12 mm

SIZE	PART DESCRIPTION	COLOUR	SKU
Per Square Metre	Berber Point Inserts	Charcoal	DMA010001
Per Square Metre	Woven Brush Inserts	Charcoal	DMA010002
Per Square Metre	Alba Inserts	Anthracite	DMA010003



BERBER POINT INSERT



WOVEN BRUSH INSERT



ALBA INSERT



#### **BERBER POINT**

Versatile dirt scraper carpet available in long runs

• Textured stainproof Miracle Fibre (polypropylene) & Eco Fibre Blend provide outstanding scraper action. • Non-slip gripper back. • Popular for both interior walkways and reception areas providing a total dirt-barrier solution. • Also frequently used in recessed matwells in entrance areas. • Available with optional edging. • Colours are specified with each order • Suitable for glue down or lay to surface applications. Product Height: 6-9mm • Suitable for high volume footfall in commercial locations. • Tiles simply clip together on site for ease of transportation and installation. • Move, clean or replace individual tiles – they clip together with ease. • Product height: 6 mm to 9 mm





Berber Logo mat / m<sup>2</sup> BERLOG

CUSTOMISED
BERBER POINT
LOGOMATS
AVAILABLE





#### **TRIO BRUSH®**

Attractive and hard wearing entrance matting

• Textured polypropylene fibres combined with alternating woven brush and polyamide strips provide outstanding scraping and drying action. • Popular for both interior walkways and reception areas providing a total dirt-barrier solution. • Also frequently used in recessed matwells in entrance areas. • Suitable for recessed matwells or lay to surface with bevelled edging applications. · Available with optional edging. • Colours are specified with each order • Suitable for glue down or lay to surface applications. Product Height: 6-9mm • Suitable for high volume footfall in commercial locations. • Tiles simply clip together on site for ease of transportation and installation. • Move, clean or replace individual tiles - they clip together with ease.

SIZE	ANTHRACITE	BROWN
Per Square meter	PMTB010001C	PMTB050001C



• Product height: 10mm







ANTHRACITE BROWN Trio Brush Logo Mat/m² **PMTBlogo** 

**CUSTOMISED** TRIO BRUSH® **LOGOMATS AVAILABLE** 







#### TRIO SCRAPER®

Superior high traffic entrance matting

• Superior high traffic entrance matting • Install in recessed mat wells or loose-lay with bevelled edging. • Anti-slip latex backing. • Suitable for recessed matwells or lay to surface with bevelled edging applications. • Available with optional edging. • Colours are specified with each order • Suitable for glue down or lay to surface applications. Product Height: 6-9mm • Suitable for high volume footfall in commercial locations. • Tiles simply clip together on site for ease of transportation and installation. • Move, clean or replace individual tiles – they clip together with ease. • Product height: 13mm

SIZE	ANTHRACITE	BROWN	GREY
Sold Per Square Meter	PMD010001C	PMD050001C	PMD060001C





**ANTHRACITE** 



BROWN




GREY

Trio Scraper With Spectra Clean Logo / m<sup>2</sup>

PMD000005








#### **SUPER SCRAPER®**

Quality barrier mat for exterior use

- Super Scraper is made with 100% polypropylene needle ribs alternated with polyamide brush strips, and perforated holes for drainage. • The ideal choice for facility entrance loose lay with PVC Edging or in a matwell. • Brushes debris from footwear, while also wiping moisture. • Suitable for indoor and outdoor entrance areas with sheltered canopies.  $\bullet$  Available with optional edging.
- Colours are specified with each order Suitable for glue down or lay to surface applications. Product Height: 13mm • Suitable for high volume footfall in commercial locations. • Tiles simply clip together on site for ease of transportation and installation.
- Move, clean or replace individual tiles they clip together with ease. • Product height: 13mm





**BLACK** 



**BROWN** 



SIZE	BLACK	BROWN	GREY
Per Square meter	PMS010001C	PMS050001C	PMS060001C

**CUSTOMISED** SUPER SCRAPER® **LOGOMATS AVAILABLE** 

Super Scraper With Spectra Clean Logo Mat/m<sup>2</sup>





#### **ALBA**

Absorbent carpet entrance matting to protect interior floor surfaces

• Adaptable carpet entrance matting for high volume entrance areas, walkways and corridors. • Nylon pile is highly absorbent and also withstands crushing. • Suitable for glue down, wall to wall, or floor surface applications. • Available with optional edging depending on the requirements of the application.


Can be used as part of a two-step system in heavy traffic environments. • Exceptionally durable carpet made from ECONYL®, a recycled nylon material made from discarded fishing nets and other sources. • Product height:7.5 mm +15% / -10%
















## ENTRANCE MATS Reducing walked in dirt and moisture to prevent slips

From heavy-duty rubber entrance mats to lightweight dust mats, COBA has it covered! This section is packed with contemporary and traditional designs to suit most budgets, with options in a wide variety of sizes, colours, and wear grades for indoor and outdoor dirt/moisture control.

#### **ENTRANCE MATS SELECTOR**

	Martine Market Heart of Martines			ENITY		
		MADE FROM RECYCLED MATERIALS	Hygiene <sup>+</sup>			PAGE
COBAWASH	~					99
COBA CARE DUO ZONE DISINFECTANT MAT		~				100
COBA CARE TRIO ZONE DISINFECTANT MAT		~				101
COBA CARE DISINFECTANT BOOT BATH		~				102
COBA CARE DISINFECTANT SHOE BATH		~				103
MICROFIBRE DOORMAT	~					104
ENTRA-CLEAN HYGIENEPLUS	~		~	~	~	105
SENTINEL COMMERCIAL ENTRANCE MAT						106
WOVEN CONVEYOR MAT		~				107
SUPERDRY						108
SUPERDRY HEAVY TRAFFIC						109
DIRTBUSTER	~					110
COIR						111
RINGMAT HONEYCOMB		~				112
RINGMAT OCTOMAT		~				112
OCTOROLL		~				113
RAMPMAT		~				113
FINGERTIP						114
COBASCRAPE						114
FIRST-STEP						115
CLEAN-STEP CLEAN-STEP						115
SUPER CONTRACT FALL						117
SPECTRA CLEAN						118
CUSHION FALL						119
FLOCK PRINT LOGOMATS						120



#### **COBAWASH®**

#### A real asset in floor protection for domestic and commercial use

• Easy to clean, practical and machine washable. • Easy care, smaller sizes can be washed in a domestic washing machine. (All sizes can be washed in an industrial washing machine.) • Carpet pile can retain up to 3.5 litres/ m² of moisture. • Also traps up to 800g of debris/dry dust. • Bleach and fade resistant – 11-year warranty against significant colour loss. • Product height: 8 mm












SIZE	BLACK/BLUE	BLACK/RED	BLACK/BROWN	BLACK/STEEL
0.6 m x 0.85 m	LM010201	LM010301	LM010501	LM010601
0.85 m x 1.2 m	LM010204	LM010304	LM010504	LM010604
0.85 m x 1.5 m	LM010202	LM010302	LM010502	LM010602
0.85 m x 3 m	-	-	-	LM010608
1.15 m x 1.75 m	LM010203	LM010303	LM010503	LM010603



#### COBA CARE DUO ZONE DISINFECTANT MAT

Sanitise and dry on the go! Ideal to support COVID-19 protection

• Resilient vinyl loops scrape dirt off shoes, while the disinfectant solution cleans and sanitises footwear. • Loose lay on a level surface, no installation necessary. Light and easy to relocate. • Fill Zone 1 with COBA Care Disinfectant Solution. • Improves hygiene and contamination control by cleaning the soles of shoes and boots. • Perfect for medium traffic, room-to-room contamination control. • Suitable for schools, home use, or internal office doorways. • Slip-resistant base, with beveled edges, to help retain position and reduce tripping hazards. • Material: Made from natural and recycled rubber, which is biodegradable and recyclable. • Product Height: 15 mm. • Suitable for schools, day-care centres, small office blocks or home use.

#### laterial

Made from natural and recycled rubber, which is biodegradable and recyclable.

**Resistance to Environment** 

Suitable for indoor environments only










SIZE DARK GREY, ANTHRACITE DARK GREY, GREY BROWN, BEIGE
395 mm x 670 mm CDM007 CDM008 CDM009



#### **COBA CARE TRIO ZONE DISINFECTANT MAT**

Prevent the spread of walked in bacteria and infectious viral particles

• Improves hygiene and contamination control by scraping, sanitising and drying the soles of shoes and boots. • Loose lay on a level surface, no installation necessary. • Light and easy to relocate.

• Fill Zone 2 with COBA Care Disinfectant Solution. • Perfect for medium traffic, room-to-room contamination control. • Slip-resistant base, with beveled edges, to help retain position and reduce tripping hazards. • Material: Made from natural and recycled rubber, which is biodegradable and recyclable. • Product Height: 15 mm. • Mat Size: 395 mm x 995 mm. • Suitable for schools, daycare centres, small office blocks or home use.

#### laterial

Made from natural and recycled rubber, which is biodegradable and recyclable.

**Resistance to Environment** 

Suitable for indoor environments only



SIZE






BLACK, DARK GREY,
ANTHRACITE

BLACK, DARK GREY, GREY

BROWN, BROWN, BEIGE

395 mm x 995 mm. CDM004 CDM005 CDM006



#### **COBA CARE DISINFECTANT BOOT BATH**


Industrial grade hygiene mat that reduces footwear contamination, ideal to support COVID-19 protection

- Durable, industrial grade rubber nodules deliver excellent dirt scraping and trapping action, while the deep well of disinfectant solution cleans and sanitises footwear. 100% Recycled rubber.
- Improves hygiene and contamination control by cleaning the soles of shoes and boots. Loose lay on level surface, no installation necessary, and fill base with COBA Care Disinfectant Solution.
- Combine with an absorbent mat to dry footwear when stepping out. We will gladly recommend the most suitable moisture control mat for your environment. Ideal for heavy industrial environments where hygiene is important e.g. mining, construction, engineering and farming. Slip-resistant base, with bevelled edges, to help retain position and reduce tripping hazards. Material: Recycled Rubber. Product Height: 55 mm. Inside Tray Depth: 44 mm.



SIZE BLACK

810 mm x 975 mm BOOT-819950









#### **COBA CARE DISINFECTANT SHOE BATH**


The hygienic mat that reduces footwear contamination, ideal to support COVID-19 protection

• Flexible natural rubber nodules deliver excellent dirt scraping and trapping action, while the disinfectant solution cleans and sanitises footwear. • 100% Recycled rubber. • Loose lay on level surface, no installation necessary, and fill base with COBA Care Disinfectant Solution. • Combine with an absorbent mat to dry footwear when stepping out. We recommend COBAwash®, Wash & Clean, Microfibre Doormat or the Social Distancing Floor Mat. • Improves hygiene and contamination control by cleaning the soles of shoes and boots. • Suitable for offices and other commercial buildings, as well as any workplace where hygiene is important e.g. healthcare, food manufacturing, catering, hospitality, clean rooms or food retail. • Slip-resistant base, with bevelled edges, to help retain position and reduce tripping hazards. • Material: Recycled Rubber. • Product Height: 26 mm. • Inside Tray Depth: 16 mm.



SIZE BLACK

605 mm x 810 mm BOOT-618119









#### **MICROFIBRE DOORMAT**

Washable doormat with super absorbency and microfibre technology

• Multi-action entrance mat with hygienic microfibre technology.


• Flexible, ultra-fine fibres (finer than a human hair) provide deep-cleaning action on passing footwear. • Friction from the fibres generates a static charge that attracts and traps dust/debris. • Effectively penetrates those hard to reach treads on footwear and wheeled trollies. • Superior 'brushing and wiping' with 'rapid dry' properties that outperform cotton. • Luxuriously soft pile that keeps entrances looking smart, stylish and free from lint. • Environmentally-friendly – does not require chemical pre-treatment or washing detergents. • Product height: 8 mm





SIZE	BLACK
0.6 m x 0.9 m	MF010001
0.9 m x 1.5 m	MF010002
1.2 m x 1.8 m	MF010003





#### **ENTRA-CLEAN HYGIENEPLUS**

The washable doormat that actively kills germs

• Removes visible dirt and kills invisible microbes. • HygienePlus means the mat is treated with the EU-registered biocide, BI-OME registered with OEKO-TEX® an antimicrobial and virus reducing technology. BI-OME works by effectively killing bacteria when contact is made with the mat. • Although the treatment is a highly effective antimicrobial agent, it does not cause any skin irritations. • A new concept in entrance matting. • Improve floor level hygiene around your business – important whilst fighting Covid-19 and beyond. • More sustainable – less frequent washing required, and on lower temperatures. Free of metals. • Fully machine washable – with no reduction in active cleaning power for the life of the mat. • Suitable for all facilities, in particular offices, hotels and leisure, retirement homes and healthcare settings. • Reduces annoying odours caused by bacteria and funghi. • Product height: 9mm











SIZE	ANTHRACITE	BROWN	GREY
0.6m x 0.9m	EC010001	EC050001	EC060001
0.8m x 1.2m	EC010002	EC050002	EC060002
0.9m x 1.5m	EC010003	EC050003	EC060003
1.2m x 1.8m	EC010004	EC050004	EC060004
1.2m x 2.4m	EC010005	EC050005	EC060005







## SENTINEL COMMERCIAL ENTRANCE MAT

Low profile entrance mat

• This mat is the ideal solution for an entrance where height is an issue • Nitrile rubber backing creates grip to avoid mat from moving around with trolly movement • Provides moisture control to avoid slipping hazards when entering a facility • Effectively removes dirt and debris from shoe soles to protect internal flooring • This mat is a moulded base of UV treated polypropylene with a block pattern • Available in 3 colours: Charcoal, Brown and Blue

SIZE		SKU
0.45m x 0.75m	Available in Charcoal, Blue and Brown	SEN020001
0.75m x 0.90m	Available in Charcoal, Blue and Brown	SEN020002
0.90m x 1.50m	Available in Charcoal, Blue and Brown	SEN020003
1.20m x 1.50m	Available in Charcoal, Blue and Brown	SEN020004
1.20 m x 1.80 m	Available in Charcoal, Blue and Brown	SEN020005
1.80 m x 1.50 m	Available in Charcoal, Blue and Brown	SEN020006
0.90 m x 4.0 m	Available in Charcoal, Brown and Blue	SEN020007
1.50 m x 2.0 m	Available in Charcoal, Blue and Brown	SEN020008
1.50 m x 3.0 m	Available in Charcoal, Blue and Brown	SEN020009

Available in Charcoal, Blue and Brown

Available in Charcoal, Blue and Brown







1.20m x 4.0m

1.50m x 3.65m

SEN020010

SEN020011






#### **WOVEN CONVEYOR MAT**

A robust matting solution

• Ideal for not just for bakkies, horse boxes as well for blasting mats • Blasting mats are so often used in the Metropolitan areas, and now with the economy and construction industry • Material used Conveyor Strips • Glued with CV2002 C • Clean with hot water and dishwashing liquid

SIZE BLACK
Size Per Square Meter WCM010001







#### **SUPERDRY**

#### High performance mat with optimum moisture retention

• Heavy-duty entrance matting, ideal for office spaces and general workplaces. • Raised, reinforced 'waffle' pattern scrapes dirt away from footwear, helping to reduce the amount of dirt/debris brought into the building. • Exceptional moisture wiping properties. Able to retain up to 5.4 litres water/ m². • Lipped edges to help reduce tripping hazards and rubber backing for slip-resistance. • Product height: 7 mm













SIZE	BLACK	BLUE	RED	BROWN	GREY
0.6 m x 0.9 m	WH010001	WH020001	WH030001	WH050001	WH060001
0.9 m x 1.5 m	WH010003	WH020003	WH030003	WH050003	WH060003
1.2 m x 1.8 m	WH010004	WH020004	WH030004	WH050004	WH060004







## **SUPERDRY HEAVY TRAFFIC**

Reduce dirt and water brought in by forklift trucks

• Waffle pattern absorbs moisture and scrapes away dirt from forklift wheels. • Reduces the risk of slips caused by water ingress. • Reduces the risk of forklifts skidding or losing control on contaminated floor surfaces. • Helps to keep cleaning costs down during bad weather. • Simple to install using double sided adhesive tape. • Large mats can be installed individually or laid next to each other to cover larger areas. • Protects sub floor from damage. • Easy to clean with a vacuum or stiff brush.

• Product height: 10 mm



SIZE CHARCOAL

1.15 m x 1.8 m WHT010005



## **DOUBLE SIDED TAPE**

High strength double sided tape ideal for Superdry Heavy Traffic

• High performance double-sided filmic bonding tape • Achieve a tougher, thinner, weather resistant bond. • A tough polyester carrier forms the base for a very strong, high shear solvent acrylic adhesive. • UV, temperature and moisture stable.




 SIZE
 CLEAR

 50 mm x 50 m
 DST0001









## **DIRTBUSTER**

### A retail ready white label doormat for consumers

• Hugely popular and ultra-absorbent mat that lifts water and mud from footwear and paws. • Available with hangers and bespoke printed header cards for simple and effective display in retail. • Helps to prevent moisture and soil from being tracked indoors. • Latex backing helps to keep the mat in place for slipresistance. • Machine washable but can also be tumble or dripdried. • Comes with a 2-year guarantee. • Product height: 8 mm











SIZE

0.5 m x 0.75 m

**SLATE GREY** DT060004


**LIGHT GREY** 

DT020004

**BROWN** 

DT050004

BEIGE DT140004





## **COIR**

## Classic dirt-scraping entrance mat made from coconut husks

• Natural doormat made from coconut husk fibres. • Hardwearing and absorbent, coir fibres are renowned for their dirt-scraping properties. • A traditional doormat, ideal for public entrances. • Suitable for indoor use. Can be used on floor surfaces or installed into matwells. • Heavy-duty, anti-slip vinyl backing for minimum movement. • Can be custom branded on to create logomats.



SIZE 17 MM NATURAL		23 MM NATURAL
700 x 400 (17mm)	CM050011	-
Per square meter	CM050013C	CM050014C



Suitable for indoor environments or covered outdoor areas

Material Natural Coconut

SIZE	NATURAL
17mm Coir logo mat per square metre	CM0500016
23mm Coir logo mat per square metre	CM0500017

COIR MATS CAN BE BRANDED AS A LOGO MAT.



## **RINGMAT HONEYCOMB**

### **Durable outdoor entrance mat with holes**

- The ideal choice for demanding conditions such as icy, snow prone locations. • Raised pattern surface provides increased grip to footwear while scraping away dirt and debris. • Large holes allow dirt and debris to fall through, keeping it trapped.
- Product height: 23 mm







SIZE	BLACK
0.4 m x 0.6 m (23 mm)	RM010011
0.6 x 0.8m (23mm)	RM010006
0.8 m x 1.2 m (23 mm)	RM010001
1 m x 1.5 m (23 mm)	RM010002
Ringmat Connector	RM010004

## **RINGMAT OCTOMAT**

### Extremely tough rubber matting for outdoor use

- Highly durable entrance mat ideal for use outdoors. Raised surface design ensures grip in wet conditions while scraping away dirt and debris. • Large holes allow dirt and debris to fall through, keeping it trapped. . Option of brush inserts for enhanced scraping, ideal for more heavy-duty environments where debris is a factor.
- Product height: 17 mm, 22 mm











		BRUSHES					CONNECTOR	
SIZE	BLACK	YELLOW	GREY	GREEN	RED	BLUE	BLACK	BLACK
0.4 m 0.6 m (17 mm)	RM010012	RM070001B	RM060001B	RM040001B	RM030001B	RM020001B	RM010001B	RM010004
0.5 m x 1 m (22 mm)	RM010013							
1 m x 1.5 m (22 mm)	RM010003	-						

1 m x 1.5 m (22 mm)

## **OCTOROLL**


### Ultra-tough rubber entrance matting by the metre


• The ideal choice for demanding entrances. • Perfect for outside use - rubber is naturally slip resistant. • Hardwearing and durable. • Withstands even the most demanding weather conditions with an operating temperature from -20°C to +160°C. • Large holes allow debris to fall through the mat and provides good drainage for rainwater. • The surface pattern scrapes dirt and debris from footwear. • Easy to install. • Product height: 13 mm

SIZE **BLACK** 

RM010014C 1 m x per linear metre (max 9.3m)







## **RAMPMAT**

### A popular honeycomb mat for all environments

- A popular choice of doormat, suitable for most climates. The raised honeycomb design provides grip while scraping away dirt and moisture. • Moulded bevelled edging for trip-resistance and wheeled access. • Manufactured from durable rubber. • Slip tested to DIN 51130.
- Product height: 14 mm

SIZE	BLACK
0.0 1.0	DMD01000

0.8 m x 1.2 m	RMR010001
0.9 m x 1.5 m	RP010001








### **FINGERTIP**

### Natural rubber doormat gives dirt the brush-off

• Flexible rubber nodules deliver excellent dirt scraping and trapping action. • Dirt is effectively brushed off then retained in a solid base, keeping floors cleaner for longer. • Suitable for offices and other commercial buildings, especially where mud and debris often end up indoors. • Suitable for most weather conditions, making it ideal for outdoor use. • Slip-resistant base, with bevelled edges, to help retain position and reduce tripping hazards. • Product height: 11 mm-13 mm

SIZE	BLACK
0.6 m x 0.8 m	FT010001
0.8 m x 1 m	FT010002
0.9 m x 1.8 m	FT010003
0.9 m x 1.5 m	FT010006







## **COBASCRAPE**

Multi-purpose doormat, suitable for outdoor and indoor use

• Multi-purpose doormat that scrapes away dirt and also retains water. • Raised pattern scrapes away dirt and debris from footwear. • Non-slip, helping to reduce the risk of slipping on wet floors. • Holds up to 2.6 litres of water/ m² or 1.5 kg of dry dust/ m². • Ideal industrial and manufacturing industries, where wet, greasy or oily conditions are present. • Bevelled edging as a safety standard. • Suitable for indoor or outdoor use. • Slip tested to DIN 51130. • Product height: 6 mm

SIZE	BLACK
0.85 m x 0.75 m	CS010001
0.85 m x 1.5 m	CS010002
0.85 m x 3 m	CS010003
1.15 m x 1.75 m	CS010004







## **FIRST-STEP**

### The first step to contamination control

• A hygienic pad of peel-off, disposable sheets, manufactured from an anti-microbial agent to protect against bacteria, mould and mildew. • The 'tacky' sheets capture dirt and dust from footwear and wheeled equipment for contamination control. • When the top sheet becomes soiled, simply peel off to reveal a clean layer. • Comes with self-adhesive backing to keep the mat in place. • Ideal for hospitals, clean rooms, general industrial environments, and any other area where hygiene is an important factor. • Product height: 1.5 mm

Each order contains 4 packs, and each pack contains 30 peelable sheets.

SIZE	WHITE	BLUE
0.45 m x 1.17 m	WC000004	WC020004












EVERY BUILDING HAS AN ENTRANCE. YOU CAN MAKE YOURS STAND OUT FROM THE CROWD BY DISPLAYING YOUR COMPANY LOGO AT THE DOOR WITH PERSONALISED WELCOME MATS. THIS ENSURES EVERY VISITOR LEAVES WITH A LASTING, VERY POSITIVE, VERY MEMORABLE IMPRESSION ABOUT YOUR BUSINESS.

TRY OUR EASY-TO-USE
LOGOMAT DESIGNER TOOL
TO MOCK-UP A VISUAL,
WHILST USING THE REAL
COLOUR OPTIONS AVAILABLE.















## SUPER CONTRACT FALL

Distinctive looped design matting

• The resilient open loop design scrapes dirt from shoes allowing it to fall through the mat for easy cleaning. • Soft, compounded PVC looped surface traps dirt, debris and moisture. • Suitable for recessed matwells, featuring a non-slip mesh backing to prevent shrinkage. • Can be custom-printed with personalised logos or messages. • Choose from 20 colours (colours may vary). • Please note sizes larger than 1.2m in width will have a visible join • Product height:15 mm


SIZE	PRODUCT DESCRIPTION	SKU
Per Square Metre	Super Contract Fall Logo Mat	LU000005C





ORDER YOUR SUPER CONTRACT FALL LOGOMAT IN ANY COMBINATION OF THESE COLOURS









## **SPECTRA CLEAN**

### Make an instant impact

• The textured top surface provides outstanding scrubbing action, whilst absorbing moisture to save your floors from dirty footprints. • Enhance this entrance mat by inserting a custom-made company logo. • 25 colours to choose from (colours may vary). • Product height: 11 mm

SIZE	PRODUCT DESCRIPTION	SKU
Per Square Metre	Spectra Clean Logo Mat	SC000005



SIZE	BLACK	NAVY BLUE	SKY BLUE	STEEL BLUE	BABY BLUE	RED	DARK RED	BURGUNDY
2 m x 23 m	SC010001	SC180001	SC020001	SC250001	SC430001	SC030001	SC310001	SC10001
Per Square Metre	SC020001C	SC180001C	SC020001C	SC250001C	SC430001C	SC030001C	SC310001C	SC10001C
SIZE	WINE RED	DARK GREEN	APPLE GREEN	TURQUOISE	CHARCOAL	GREY	LIGHT BEIGE	GOLDEN BEIGE
2 m x 23 m	SC320001	SC040001	SC420001	SC410001	SC110001	SC060001	SC210001	SC220001
Per Square Metre	SC320001C	SC040001C	SC420001C	SC410001C	SC210001	SC060001C	SC210001C	SC220001C
SIZE	SAND	DARK BROWN	ORANGE	YELLOW	GOLD	PINK	PURPLE	WHITE
2 m x 23 m	SC240001	SC050001	SC170001	SC070001	SC230001	SC260001	SC200007	SC130001
Per Square Metre	SC240001C	SC050001C	SC170001C	SC070001C	SC230001C	SC260001C	SC200007C	SC130001C





## **CUSHION FALL**

### **Distinctive looped design matting**

- The resilient vinyl loops scrape dirt off shoes. Soft, compounded PVC looped surface traps dirt, debris and moisture.
- The mat features a non-slip vinyl backing which keeps the dirt and moisture off the floor. • Can be customised with personalised logos or messages. • Choose from 20 colours (colours may vary).
- Strength designation: 4.6%.• Product height: 8 mm



BACKING

### **Typical Applications**

Interior or exterior covered entrances loose-lay with bevelled edging.

Vinyl loops

SIZE	PRODUCT DESCRI	PTION	SKU					
1.2m x 12m	Cushion Fall Logo Ma	t	LB000005C					
SIZE		BLACK	BLUE	NAVY	BABY BLUE	PURPLE	TURQUOISE	LIME GREEN
1.2m x 12m		LB011212	LB021212	LB181212	LB241212	LB201212	LB411212	LB421212
1.2 m x per li	near metre	LB011212C	LB021212C	LB181212C	LB241212C	LB201212C	LB411212C	LB421212C
0.75								
SIZE		DARK GREEN	GREEN	BEIGE	BROWN	BURGUNDY	RED	PINK
1.2m x 12m		LB041212	LB431212	LB211212	LB051212	LB101212	LB031212	LB261212
1.2 m x per li	near metre	LB041212C	LB431212C	LB211212C	LB051212C	LB101212C	LB031212C	LB261212C
SIZE		ORANGE	YELLOW	GOLD	GREY	DARK GREY	WHITE	
1.2m x 12m		LB171212	LB071212	LB231212	LB061212	LB111212	LB131212	
1.2 m x per li	near metre	LB171212C	LB071212C	LB231212C	LB061212C	LB111212C	LB131212C	



### **FLOCKING**

Flocking is the application of fine polyamide fibers (called flock) to an adhesive coated surface. Flock is applicated by means of a high-voltage electric field.

Flock print feels somewhat velvet and a bit elevated. A flocked product offers superior quality and uniqueness, due to its soft, fuzzy feel.

### **APPLICATION**

Any product which has a consistently even surface can be flocked. The following products would be suitable:

Berber Point, Alba, Specra Clean, Super Scraper, Trio Scraper, Trio Brush, Micro-Fiber, Entra-Clean Hygiene Plus



Suitable for High foot traffic areas

### RECOMMENDED CLEANING PROCEDURE

The mat should be cleaned by vacuuming on a regular basis. Washing with cold water will also produce good results. Detergents should not be used.

Washing with cold water will also produce good results. Detergents should not be used.

DESCRIPTION	SIZE	SKU
Flocking Logo Mat	Custom	FLO















# **MATS FOR LEISURE**

Working out floor protection and slip prevention

COBA has been supplying the leisure industry with safety matting for many years, and we have a range of options that reflects our experience in this sector. Hygienic anti-slip matting for swimming pools and changing rooms, quality gymnasium matting, and Critical Fall Height tested rubber safety matting for playgrounds give just a flavour of what's on offer. We also supply a range of equestrian rubber matting for use in stables and equine wash down areas.



## **COBA LEATHERLOCK**

Easy Installation interlocking tiles

• Popular low-cost flooring for inside the house or office, playrooms and garages • Made from recycled PVC nonconductive and fire-resistant • Do not expose to direct sunlight or extreme temperatures • The edging is manufactured to 45-degree corners on both sides. • The edge strip still provides a ramp for trolleys and the tile, preventing wheels or shoes from getting stuck / tripping over the open edges. • Lead times are 15 working days for orders not in stock of black tiles • Lead times are 6-7 weeks from the date of order received on coloured tiles • Our interlocking tile range should only be used on floor applications, if these tiles were to be used on walls or any other application, please consult an adhesive specialist to ensure that the correct adhesive is used for your installation. Always consult your Sales Account Manager to ensure this product can be installed on your specific site for the application you require Product height: 5mm



Typical Applications

Gyms, Weight rooms, Ice rinks

### Material

Rubber mix, including >50% recycled material.

Resistance to Environment

Suitable for all indoor sports environments

SIZE	DESCRIPTION	BLACK	
500 mm x 500 mm x 5 mm	Tile	LGT010001	LGT020001
500 mm x 50 mm	PVC Edging	LGE010001	LGE020001



## **WEIGHTROOM MAT**

### Heavy-duty floor protection for your gym

Shock absorbent and will protect your subfloor from damage when dropping weights.
 Increases safety as dropped weights bounce and roll less.
 Easy to clean and maintain.
 Non porous rubber – sweat and other liquids cannot

penetrate into the mat, the number one quality commercial gyms love. • High durability. • Effective in reducing noise levels. • Reversible offering the option of wide ribbed or textured surface. • Mats can be tightly butted together to cover larger floor areas. • Product height: 12 mm, 17 mm

### **Typical Applications**

Gyms, Weight rooms. Stables, Horse boxes.

### Material


Rubber mix, including >50% recycled material.

### **Resistance to Environment**

Suitable for wet and dry indoor environments



SIZE	BLACK
1.2 m x 1.8 m (17 mm)	HM010001
1.2 m x 1.8 m (12 mm)	HM010002







## **FLEXI-DECK**

# Flexible and lightweight vinyl decking for wet environments

- Flexible vinyl floor tiles that reduce slipping on wet surfaces.
- Textured top surface provides grip and is comfortable to walk on barefoot. Holes provide efficient drainage of water.
- Underside studs enhance drainage, helping to further reduce the risk of slipping. Ideal for leisure areas, such as shower rooms and swimming pool walkways. Easy to roll up, clean and relocate. Product height: 13 mm

### Material PVC

**Resistance to Environment** 

Suitable for wet and dry indoor environments











SIZE	PART DESCRIPTION	BLACK	BLUE	RED	GREEN	GREY
30 cm x 30 cm	Tile (Pack of 9)	FD010001	FD020001	FD030001	FD040001	FD060001
	Female Edge (Pack of 3)	FD010002F3	FD020002F3	FD030002F3	FD040002F3	FD060002F3
	Male Edge (Pack of 3)	FD010002M3	FD020002M3	FD030002M3	FD040002M3	FD060002M3
	Corner (Pack of 4)	FD010004	FD020004	FD030004	FD040004	FD060004







## **DECKSTEP**

### Ribbed vinyl matting for swimming pools

• Raise people's feet off wet floor surfaces. • Reduce the risk of slips by keeping feet above surface water. • Provides a more comfortable barefoot walking surface than tiled floors. • Textured surface provides slip resistance. • Flexible and lightweight – easy to move and clean. • Ribs are welded together for strength. • Slip tested to DIN 51097. • Product height: 11.5 mm ±0.5 mm

### Material PVC

Resistance to Chemicals
Resistant to acid and alkali











SIZE	BLACK	BLUE	RED	GREY
0.59 m x 10 m	DS010610	DS020610	DS030610	DS060610
0.59 m x per linear metre	DS010610C	DS020610C	DS030610C	DS060610C
1.2 m x 10 m	DS011210	DS021210	DS031210	DS061210
1.2 m x per linear metre	DS011210C	DS021210C	DS031210C	DS061210C

## **FATIGUE-STEP**

### Safety rubber tiles for playgrounds

- Interlocking rubber tile system to cover large or small areas.
- Provides safety for playgrounds. Anti-slip surface reduces risks (tested to DIN 51130). Ideal safety matting for outdoor areas. Durable and easy to clean. Easy to relocate or replace.
- Fits in natural environment. Suitable for all weather, extreme temperatures and resists wind uplift Open holes allow grass growth and provide optimal drainage.



SIZE	PRODUCT HEIGHT	BLACK
0.9 m x 0.9 m	19mm	SS010001
0.9 m x 0.9 m	14mm	SS010006

EDGING	PART DESCRIPTION	BLACK	YELLOW
Fatigue-Step Edges	Female Corner Edge	SS010002F	SS070002F
Fatigue-Step Edges	Male Corner Edge	SS010002M	SS070002M






## RINGMAT HONEYCOMB

Safety matting for children's play areas

• Provides child fall safety for playgrounds. • Anti-slip surface reduces risks. • Perfect safety matting for outdoor areas. • Hardwearing and durable. • Appearance suits natural environment. • Can be used on flat or contoured landscapes • Suitable for all weather, extreme temperatures and resists wind uplift. • Open holes allow grass growth and provide optimal drainage. • Connectors available to link matting for larger areas. • Product height: 23 mm



SIZE	BLACK
0.4 m x 0.6 m (23 mm)	RM010011
0.8 m x 1.2 m (23 mm)	RM010001
1 m x 1.5 m (23 mm)	RM010002


## **STABLEMAT**

### Safe and easy to clean mats for stables and horse boxes

• Premium quality non-porous, rubber matting for stables. • Specially designed, anti-slip surface provides maximum grip for both horse and handler. • Ideal for use as bedding in horse stables, yard flooring, and horse boxes. • Simple to install and cost-effective alternative. • Cushioning underfoot for comfort and safety. • Reduces the amount of bedding required. • Creates a comfortable cushioned standing surface for horses. • Stable matting reduces dust levels for improved health. • Grooved underside for effective drainage. • Product height: 12 mm, 17 mm

SIZE	BLACK
1.2 m x 1.8 m (17 mm)	HM010001
1.2 m x 1.8 m (12 mm)	HM010002





# **RUBBER SHEETING**

Providing rubber sheet materials for all purposes

A complete range of quality rubber sheet material for countless applications. Rubber sheet is used for a myriad of purposes including waterproof seals and gaskets, shotblasting, and food and beverage applications. With over 40 grades on offer, we should be able to provide what you need. Available to order in rolls and by the metre.



### **RUBBER SHEET MATERIAL:**

Industrial rubber is used in a wide array of technical, mechanical or practical applications. It's often punched and shaped in to gaskets, which are used for vibration and noise reduction, or to prevent leaks between different substrates.

Rubber sheet is used for seals in the automotive, food and beverage industries, amongst others. Each material has very specific properties, so it is important to consider which is best suited for the application.



Natural rubber (NR) has high tensile and tear strength; however, it only has moderate resistance to environmental damage by heat, light and ozone.

### CR:

Chloroprene Rubber (CR), also known as chlorobutadiene rubber, typically displays good resistance to ozone cracking, heat aging and to chemical attack but only fair or poor resistance to acids, solvents, and fuels. Its flame resistance is excellent. In fact, CR is one of the few rubbers that are self-extinguishing. CR is the primary makeup of our Commercial Black Neoprene Rubber sheeting.

### EPDM:

Ethylene propylene diene monomer (EPDM) is compatible with polar substances, e.g. hydraulic fluids, ketones, hot and cold water, and alkalis. It is not suitable for use with most hydrocarbons, such as oils, petrol, as well as halogenated solvents. EPDM offers outstanding resistance to heat, ozone, steam and weather. It is also an electrical insulator.

### SBR:

Styrene butadiene rubber (SBR) sheet is widely used as an inexpensive alternative to EPDM and is particularly suitable for indoor use. The temperature resistance of SBR is somewhat similar to EPDM, but its weathering and ozone resistance are lower in direct comparison. SBR is resistant to most solvents, such as acids, alkalis and water, but not to mineral oils and fats.

### NBR:

Nitrile butadiene rubber (NBR) is characterised by a very high resistance to lubricating oils. NBR is also not resistant to polar solvents such as acids and alkalis, and therefore is typically used when the material is in regular contact with oil and other mineral oil-based fats. NBR is often used as waterproof covers or gaskets for mechanical applications in industrial manufacturing.



### **MATERIAL SELECTION GUIDE**

E = Excellent • G = Good • F = Fair • P = Poor

APPLICATION	NR	CR	EPDM	SBR	NBR
Abrasion Resistance	Е	G	G	Е	G
Acid	F	F	E	F	G
Alkali	F	F	G	F	F
Compression Set	G	G	F	G	G
Hydraulic Fluid (Phosphates)	Р	Р	G	Р	Р
Hydraulic Fluid (Silicates)	Р	G	F	Р	F
Impact Resistance	Е	G	G	Е	G
Impermeable to Gases	F	G	G	F	G
Lubricating Oils	Р	F	Р	Р	G
Petrol	Р	Р	Р	Р	G
Resilience	Е	G	G	Е	G
Tear Strength	G	G	F	G	G
Water (Non Potable)	G	G	G	G	G

For full technical details on our Rubber Sheeting range please visit our website or contact your account manager for datasheets.

## **TEXTURED RUBBER ROLLS**


Used in a range of industrial application

- A range of industrial applications such as for or use on stairs, counter tops, workshop floors and load boxes.
- Product height: 3 mm



## **BLACK RHOMBOID**

SIZES	SKU
3 mm x 1.2 m x 20 m	RS00001
3 mm x 1.2 m x per linear metre	RS00001C




## **BLACK STUD FLOORING**

SIZES	SKU
3 mm x 1.2 m x per linear metre	RSS00001C
3 mm x 1.5 m x per linear metre	RSS00002C


### **Typical Applications**

A range of industrial applications such as for or use on stairs, counter tops, workshop floors and load boxes.



## **BLACK FINE RIB**

SIZES	SKU
2.5 mm x 1.2 m x 20 m	RR010021
2.5 mm x 1.2 m x per linear metre	RR010021C




## **BLACK PYRAMID**

SIZES	SKU
3 mm x 1.2 m x 20 m	RSP00001
3 mm x 1.2 m x per linear metre	RSP00001C



## **RICE DESIGN FLOORING**

SIZES	SKU
1.2 m x 20 m	RSR00001
3 mm x 1.2 m x per linear m	RSR00001C



### **Typical Applications**

A range of industrial applications such as for or use on stairs, counter tops, workshop floors and load boxes.

## **RUBBER INSERTION**

Used in a range of industrial application

• A standard multi-purpose rubber sheeting for low-cost waterproof seals and gaskets.Rubber insertion sheet featuring embedded textile reinforcement for increased tensile strength and tear resistance. • Ideal for many general-purpose applications. 68 degrees shore A hardness. • Tensile strength at break: 3.0 Mpa. Elongation at break: 200%. • Product height: 3 mm

SIZES	SKU
1.6 mm x 1.2 m x 20 m	RI010001
1.6 mm x 1.2 m x per linear metre	RI010001C
1.6 mm x 1.5 m x 20 m	RI010002
1.6 mm x 1.5 m x per linear m	RI010002C
3 mm x 1.2 m x 20 m	RI010003
3 mm x 1.2 m x per linear metre	RI010003C
3 mm x 1.5 m x 20 m	RI010004
3 mm x 1.5 m x per linear m	RI010004C
3 mm x 2 m x 10 m	RI010005
2 m x per linear metre	RI010005C



## **COBADOT**

An easy to install rubber runner

• Versatile rubber floor covering. • Studded surface looks smart, while being a practical choice for both industrial and commercial buildings. • Nitrile option recommended for oily, greasy or chemical-prone locations based on its resilient properties. • Provides enhanced underfoot grip to reduce the risk of slipping. • Ease of installation minimises any down time – can be bonded or laid loose to the floor. • This product is designed as a runner only as the dots may not match up when lengths are placed together. • Product height: 3 mm, 4.5 mm

SIZE	<b>BLACK NITRILE</b>	<b>GREY NITRILE</b>
1.2 m x 10 m x 3 mm	CDN010001	CDN060001
1.2 m x per linear metre x 3 mm	CDN010001C	CDN060001C
1.2 m x 10 m x 4.5 mm	CDN010002	CDN060002
1.2 m x per linear metre x 4.5 mm	CDN010002C	CDN060002C





## SPECKLED RUBBER MATTING


**Provides excellent impact durability** 

• Made from EPDM rubber particles and SBR rubber particles, which are subjected to high temperature, pressure and cutting, and have a rich color selection and long life. • Suitable for indoor use which requires elasticity, sound absorption, shock absorption, skid resistance, abrasion resistance and tensile properties. • Provides excellent impact durability and skid resistance under wet or dry conditions. • Ecofriendly material, no nose irritation. • Perfect for a Gym application. • Available in black/blue and black/grey. • Product height: 3 mm, 5 mm, 10 mm



SIZES BLACK/BLUE				BLACK/GREY							
	3mm	5mm	10mm	3mm	5mm	10mm					
1.2 m x 10 m	RRM010002	RRM010004	RRM010006	RRM010001	RRM010003	RRM010005					
1.2 m x per linear metre	RRM010002C	RRM010004C	RRM010006C	RRM010001C	RRM010003C	RRM010005C					






## **RUBBER CRUMB**

Used in a range of industrial application

• Protection layer for constructional and industrial applications, membrane protection. • This is an elastic pre-manufactured mat made from selected rubber bound with polyurethane • Strength tested to DIN EN ISO 1798 • Fire tested to DIN EN 13501-1

SIZES	HEIGHT	SKU
1250 mm x per linear metre	4mm	RC010001
1250 mm x per linear metre	8mm	RC010002





## **COBARIB**

### Best-selling ribbed runner for floors and workbenches

• Widely used for many different industrial applications, as floor matting or workbench/tool protection. • Ribbed rubber surface provides additional grip reducing the risk of slipping for operatives. • Provides a protective covering for workbenches, cushioning the impact of tools and apparatus. • Also useful for protecting stock at packing stations, and components in assembly areas. • Can be helpful in supporting noise insulation initiatives. • Product height: 3 mm, 6 mm







3 MM	BLACK
0.9 m x 10 m	RR010010
0.9 m x per linear metre	RR010010C

6 MM	BLACK
0.9 m x 10 m	RR010030
0.9 m x per linear metre	RR010030C



	WORKPLACE SAFETY MATTING			T	П		П		11-44
	ELECTRICAL SAFETY MATTING		$\top$	$\top$	$\Box$		П		45-48
S	ESD MATS & ACCESSORIES			$\top$			П		49-56
₹	FLOOR LEVEL SAFETY ACCESSORIES						$\Box$		57-64
윤	FLOOR TRIMS	$\vdash$				$\top$	$\Box$		65-70
PRODUCT CATEGORIES	FLOOR COVERINGS		$\dashv$	T			$\vdash$		71-74
3	OFFICE FURNITURE ACCESSORIES		$\dashv$	+			$\Box$		75-80
달	ENTRANCE MATTING SYSTEMS		+	+					81-96
呂	ENTRANCE MATS	$\vdash$	+	+	+			+	97-120
8	MATS FOR LEISURE	$\vdash$	+	+	+	+			121-126
<u> </u>	RUBBER SHEETING	$\vdash$	+	+	+	+			
			+	+	+	+	$\vdash$		127-132
	MOVING EDGE SAFETY KNIVES								133
	PRODUCT								
	AC38 DHC		Т						67
	AC38 DHC SF	$\vdash$				+	$\vdash$	+	67
	ALBA ANTI FATIOUS	$\vdash$	+	+				+	95
	ALBA ANTI-FATIGUE				+		$\vdash$		77
Α	ALUMINIUM STAIRTREAD	$\vdash$	-			+	$\vdash$	+	64
	ANF DHC		_			_			70
	AR3		+			_			67
	AR3 SF DHC		4			_			67
	AR6					_	Ш		67
	AR6 SF DHC								67
	BARRIER TAPE								60
	BERBER POINT	$\vdash$	1		+				91
	BLACK FINE RIB			+					129
		$\vdash$	+	+	+	+	$\vdash$		
	BLACK PYRAMID	$\vdash$	+	+		+	$\vdash$		129
В	BLACK RHOMBOID		+	+		+	$\vdash$		129
	BLACK SILICONE		+	+		+	$\vdash$		74
	BLACK STUD FLOORING		-	+		+	Н		129
	BRANDED CAR MAT		_	+		_			39
	BUBBLEMAT		_	+		_			20
	BUBBLEMAT SAFETY								21
	CABLEPRO DATA		٦			Т	П		58
	CABLEPRO G		T			$\top$	$\Box$		58
	CABLEPRO HD		T			+			
	CABLEPRO MAT								59
	OADELI IIO IIIAI		7			+			59 50
	CAD IT DHC								59
	CAP IT DHC								59 67
	CAPPING STRIP								59 67 68
	CAPPING STRIP CHAIR MAT (PET)								59 67 68 78
	CAPPING STRIP CHAIR MAT (PET) COBA CARE DISINFECTANT BOOT BATH								59 67 68 78 102
	CAPPING STRIP CHAIR MAT (PET) COBA CARE DISINFECTANT BOOT BATH COBA CARE DISINFECTANT SHOE BATH								59 67 68 78 102
	CAPPING STRIP CHAIR MAT (PET) COBA CARE DISINFECTANT BOOT BATH COBA CARE DISINFECTANT SHOE BATH COBA CARE DUO ZONE DISINFECTANT MAT								59 67 68 78 102 103 100
	CAPPING STRIP CHAIR MAT (PET) COBA CARE DISINFECTANT BOOT BATH COBA CARE DISINFECTANT SHOE BATH COBA CARE DUO ZONE DISINFECTANT MAT COBA CARE TRIO ZONE DISINFECTANT MAT								59 67 68 78 102
	CAPPING STRIP CHAIR MAT (PET) COBA CARE DISINFECTANT BOOT BATH COBA CARE DISINFECTANT SHOE BATH COBA CARE DUO ZONE DISINFECTANT MAT								59 67 68 78 102 103 100
	CAPPING STRIP CHAIR MAT (PET) COBA CARE DISINFECTANT BOOT BATH COBA CARE DISINFECTANT SHOE BATH COBA CARE DUO ZONE DISINFECTANT MAT COBA CARE TRIO ZONE DISINFECTANT MAT								59 67 68 78 102 103 100 101
	CAPPING STRIP CHAIR MAT (PET) COBA CARE DISINFECTANT BOOT BATH COBA CARE DISINFECTANT SHOE BATH COBA CARE DUO ZONE DISINFECTANT MAT COBA CARE TRIO ZONE DISINFECTANT MAT COBADELUXE								59 67 68 78 102 103 100 101
	CAPPING STRIP CHAIR MAT (PET) COBA CARE DISINFECTANT BOOT BATH COBA CARE DISINFECTANT SHOE BATH COBA CARE DUO ZONE DISINFECTANT MAT COBA CARE TRIO ZONE DISINFECTANT MAT COBADELUXE COBADOT								59 67 68 78 102 103 100 101 33 41,130
C	CAPPING STRIP CHAIR MAT (PET) COBA CARE DISINFECTANT BOOT BATH COBA CARE DISINFECTANT SHOE BATH COBA CARE DUO ZONE DISINFECTANT MAT COBA CARE TRIO ZONE DISINFECTANT MAT COBADELUXE COBADOT COBAELITE® BUBBLE								59 67 68 78 102 103 100 101 33 41,130
C	CAPPING STRIP CHAIR MAT (PET) COBA CARE DISINFECTANT BOOT BATH COBA CARE DISINFECTANT SHOE BATH COBA CARE DUO ZONE DISINFECTANT MAT COBA CARE TRIO ZONE DISINFECTANT MAT COBADELUXE COBADOT COBAELITE® BUBBLE COBAELITE® DIAMOND								59 67 68 78 102 103 100 101 33 41,130 24
C	CAPPING STRIP CHAIR MAT (PET) COBA CARE DISINFECTANT BOOT BATH COBA CARE DISINFECTANT SHOE BATH COBA CARE DUO ZONE DISINFECTANT MAT COBA CARE TRIO ZONE DISINFECTANT MAT COBADELUXE COBADOT COBAELITE® BUBBLE COBAELITE® DIAMOND COBAELITE® ESD								59 67 68 78 102 103 100 101 33 41,130 24 24
C	CAPPING STRIP CHAIR MAT (PET) COBA CARE DISINFECTANT BOOT BATH COBA CARE DISINFECTANT SHOE BATH COBA CARE DUO ZONE DISINFECTANT MAT COBA CARE TRIO ZONE DISINFECTANT MAT COBADELUXE COBADOT COBAELITE® BUBBLE COBAELITE® ESD COBA EXPANSION JOINTS								59 67 68 78 102 103 100 101 33 41,130 24 24 52 69
C	CAPPING STRIP CHAIR MAT (PET) COBA CARE DISINFECTANT BOOT BATH COBA CARE DISINFECTANT SHOE BATH COBA CARE DUO ZONE DISINFECTANT MAT COBA CARE TRIO ZONE DISINFECTANT MAT COBADELUXE COBADOT COBAELITE® BUBBLE COBAELITE® DIAMOND COBAELITE® ESD COBA EXPANSION JOINTS COBAGRIP® LIGHT								59 67 68 78 102 103 100 101 33 41,130 24 24 52 69
C	CAPPING STRIP CHAIR MAT (PET) COBA CARE DISINFECTANT BOOT BATH COBA CARE DISINFECTANT SHOE BATH COBA CARE DUO ZONE DISINFECTANT MAT COBA CARE TRIO ZONE DISINFECTANT MAT COBADELUXE COBADOT COBAELITE® BUBBLE COBAELITE® DIAMOND COBAELITE® ESD COBA EXPANSION JOINTS COBAGRIP® LIGHT COBAGRIP® SHEET								59 67 68 78 102 103 100 101 33 41,130 24 24 52 69 62
С	CAPPING STRIP  CHAIR MAT (PET)  COBA CARE DISINFECTANT BOOT BATH  COBA CARE DISINFECTANT SHOE BATH  COBA CARE DUO ZONE DISINFECTANT MAT  COBA CARE TRIO ZONE DISINFECTANT MAT  COBADELUXE  COBADOT  COBAELITE® BUBBLE  COBAELITE® DIAMOND  COBAELITE® DIAMOND  COBAERIP® LIGHT  COBAGRIP® SHEET  COBAGRIP® SHEET								59 67 68 78 102 103 100 101 33 41,130 24 24 52 69 62 62 63
C	CAPPING STRIP  CHAIR MAT (PET)  COBA CARE DISINFECTANT BOOT BATH  COBA CARE DISINFECTANT SHOE BATH  COBA CARE DUO ZONE DISINFECTANT MAT  COBA CARE TRIO ZONE DISINFECTANT MAT  COBADELUXE  COBADOT  COBAELITE® BUBBLE  COBAELITE® DIAMOND  COBAELITE® ESD  COBA EXPANSION JOINTS  COBAGRIP® SHEET  COBAGRIP® STAIR NOSING  COBAGRIP® STAIR TREAD								59 67 68 78 102 103 100 101 33 41,130 24 24 52 69 62 62 63
C	CAPPING STRIP  CHAIR MAT (PET)  COBA CARE DISINFECTANT BOOT BATH  COBA CARE DISINFECTANT SHOE BATH  COBA CARE DUO ZONE DISINFECTANT MAT  COBA CARE TRIO ZONE DISINFECTANT MAT  COBADELUXE  COBADOT  COBAELITE® BUBBLE  COBAELITE® DIAMOND  COBAELITE® ESD  COBA EXPANSION JOINTS  COBAGRIP® STAIR NOSING  COBAGRIP® STAIR TREAD  COBAGRIAND								59 67 68 78 102 103 100 101 33 41,130 24 24 52 69 62 62 62 63 63
C	CAPPING STRIP CHAIR MAT (PET) COBA CARE DISINFECTANT BOOT BATH COBA CARE DISINFECTANT SHOE BATH COBA CARE DUO ZONE DISINFECTANT MAT COBA CARE TRIO ZONE DISINFECTANT MAT COBADELUXE COBADOT COBAELITE® BUBBLE COBAELITE® DIAMOND COBAELITE® ESD COBA EXPANSION JOINTS COBAGRIP® LIGHT COBAGRIP® STAIR NOSING COBAGRIP® STAIR TREAD COBAGUARD								59 67 68 78 102 103 100 101 33 41,130 24 24 52 69 62 62 62 63 63 80 80
C	CAPPING STRIP CHAIR MAT (PET) COBA CARE DISINFECTANT BOOT BATH COBA CARE DISINFECTANT SHOE BATH COBA CARE DUO ZONE DISINFECTANT MAT COBA CARE TRIO ZONE DISINFECTANT MAT COBADELUXE COBADOT COBAELITE® BUBBLE COBAELITE® DIAMOND COBAELITE® ESD COBA EXPANSION JOINTS COBAGRIP® SHEET COBAGRIP® STAIR NOSING COBAGRIP® STAIR TREAD COBAGUARD COBAGUARD UNIVERSAL COBA LEATHERLOCK COBAMAT® STANDARD								59 67 68 78 102 103 100 101 33 41,130 24 24 52 69 62 62 63 63 80 80 122
C	CAPPING STRIP CHAIR MAT (PET) COBA CARE DISINFECTANT BOOT BATH COBA CARE DISINFECTANT SHOE BATH COBA CARE DUO ZONE DISINFECTANT MAT COBA CARE TRIO ZONE DISINFECTANT MAT COBADELUXE COBADOT COBAELITE® BUBBLE COBAELITE® BUBBLE COBAELITE® BUBBLE COBAELITE® ESD COBA EXPANSION JOINTS COBAGRIP® LIGHT COBAGRIP® STAIR NOSING COBAGRIP® STAIR TREAD COBAGUARD COBAGUARD COBAGUARD COBAGUARD COBAGUARD COBAGUARD COBAGUARD COBAGUARD COBAMAT® STANDARD COBARIB								59 67 68 78 102 103 100 101 33 41,130 24 24 52 69 62 62 63 63 80 80 80 40,132
C	CAPPING STRIP CHAIR MAT (PET) COBA CARE DISINFECTANT BOOT BATH COBA CARE DISINFECTANT SHOE BATH COBA CARE DUO ZONE DISINFECTANT MAT COBA CARE TRIO ZONE DISINFECTANT MAT COBADELUXE COBADOT COBAELITE® BUBBLE COBAELITE® BUBBLE COBAELITE® ESD COBA EXPANSION JOINTS COBAGRIP® LIGHT COBAGRIP® STAIR NOSING COBAGRIP® STAIR TREAD COBAGUARD								59 67 68 78 102 103 100 101 33 41,130 24 24 52 69 62 62 63 63 80 80 80 122 36 40,132
C	CAPPING STRIP CHAIR MAT (PET) COBA CARE DISINFECTANT BOOT BATH COBA CARE DISINFECTANT SHOE BATH COBA CARE DUO ZONE DISINFECTANT MAT COBA CARE TRIO ZONE DISINFECTANT MAT COBADELUXE COBADOT COBAELITE® BUBBLE COBAELITE® BUBBLE COBAELITE® DIAMOND COBAELITE® ESD COBA EXPANSION JOINTS COBAGRIP® LIGHT COBAGRIP® STAIR NOSING COBAGRIP® STAIR NOSING COBAGUARD								59 67 68 78 102 103 100 101 33 41,130 24 24 52 69 62 62 63 63 80 80 80 122 36 40,132 31,114
С	CAPPING STRIP CHAIR MAT (PET) COBA CARE DISINFECTANT BOOT BATH COBA CARE DISINFECTANT SHOE BATH COBA CARE DUO ZONE DISINFECTANT MAT COBA CARE TRIO ZONE DISINFECTANT MAT COBADELUXE COBADOT COBAELITE® BUBBLE COBAELITE® DIAMOND COBAELITE® DIAMOND COBAELITE® ESD COBA EXPANSION JOINTS COBAGRIP® LIGHT COBAGRIP® STAIR NOSING COBAGRIP® STAIR NOSING COBAGUARD COBAGUARD COBAGUARD COBAGUARD COBAGUARD COBAGUARD COBAGUARD COBAGUARD COBASCRAPE COBASCRAPE COBASSWITCH								59 67 68 78 102 103 100 101 33 41,130 24 24 52 69 62 63 63 80 80 122 36 40,132 31,114 51 48
С	CAPPING STRIP CHAIR MAT (PET) COBA CARE DISINFECTANT BOOT BATH COBA CARE DISINFECTANT SHOE BATH COBA CARE DUO ZONE DISINFECTANT MAT COBA CARE TRIO ZONE DISINFECTANT MAT COBADELUXE COBADOT COBAELITE® BUBBLE COBAELITE® BUBBLE COBAELITE® DIAMOND COBAELITE® ESD COBA EXPANSION JOINTS COBAGRIP® LIGHT COBAGRIP® STAIR NOSING COBAGRIP® STAIR NOSING COBAGUARD								59 67 68 78 102 103 100 101 33 41,130 24 24 52 69 62 62 63 63 80 80 80 122 36 40,132 31,114

'	WORKPLACE SAFETY MATTING		L	L				Ш				Ш	11-
	ELECTRICAL SAFETY MATTING												45-
9 1	ESD MATS & ACCESSORIES												49-
ĘT	FLOOR LEVEL SAFETY ACCESSORIES		Π	Г									57-
<b>1</b>	FLOOR TRIMS		Г					П					65-
7 T	FLOOR COVERINGS		T			П		П				П	71-
5 7	OFFICE FURNITURE ACCESSORIES	T	T	Г								П	75-
₹ I	ENTRANCE MATTING SYSTEMS		T									$\Box$	81-
<b>4</b> 7	ENTRANCE MATS	$\top$	T	Г		П		П			Т	П	97-1
	MATS FOR LEISURE	+	t	H				Н	$\exists$			Н	121-1
-	RUBBER SHEETING	+	$\vdash$	Н				Н	$\dashv$				127-1
	MOVING EDGE SAFETY KNIVES	+	+	H	H	Н		Н	$\dashv$		_		1
	PRODUCT												<u> </u>
	COBASWITCH VDE												
	СОВАТАРЕ		Г									П	
	COBAWASH®				Г							П	
	COIL CORD		T									П	
	COIR		$\vdash$	П								Н	1
	COMFORT-LOK										_	H	<u> </u>
								Н			_	Н	
	COMMON POINT GROUND WIRE	+	┝				_	Н		_	_	Н	
	COVE FILLET	+	╀	H	H		_					Н	
	CUSHION FALL												1
	DECKSTEP		Г										35, 1
	DIAMOND TREAD	Т										Н	
	DM ALUMINIUM											$\Box$	
	DOUBLE SIDED TAPE	+	$\vdash$					Н				H	1
		+	╁	H	H		_		-		_	Н	
	DIRTBUSTER	+	$\vdash$									$\vdash$	1
	EARTH BONDING PLUG	+	-									Н	
4	ENTRA-CLEAN HYGIENEPLUS	+	L									Ш	1
	ESD RUBBER BENCH MAT				L								
	FATIGUE LOCK			П									
	FATIGUE-STEP		Н									Н	23, 1
					H		_	Н		_		Н	
	FELINE A/9/2 DHC	+	-					Н	Н			Н	
	FELINE A/10 DHC	+	╀	H								Н	
	FELINE A/12Z DHC		-										
<u> </u>	FELINE AT25 DHC	-	L									Ш	
	FINGERTIP	_	L	L								Ш	1
	FIRST-STEP												1
	FLEXI-DECK											Ш	1
	FLOCK PRINT LOGOMATS												1
	FLOORING TRIMS & CARPET TRIMS											П	
	FLOOR MAT GROUNDING WIRE					Т					Г	П	
		_	_								_		
	GRIPF00T	_										Ш	
	GRIPFOOT CONFORMABLE							Ш					
	GRIPGUARD												
	GRIPSAFE												
		_											
1 -	HEEL GROUNDER											Н	
	HYGIMAT												
	K-MAT		П	П									
	KNEE-SAVER							Н				$\Box$	
(	KWIKLOK TILES							Н	Н			Н	
		+	+	H				Н	Н			Н	
<u> </u>	KWIKLOK VIRGIN MATERIAL							Ш					
	MICROFIBRE DOORMAT	Т	Т									П	1
	MK1 RUBBER TILE					П		П	П			П	
1 -	MK3 RUBBER FLOOR TILE PACKS					П		Н	Н			H	
	MK3 TOUGH DECK							H	Н			H	
	NON-SLIP BOOTMAT	i	H										
	OCTOROLL												1
	ORTHOMAT® OFFICE	+	$\vdash$						Н			H	<u> </u>
	OILLIOMAT & OITTOL			$\vdash$		H				_		H	
) -	ORTHOMAT® PREMIUM												

	WORKEL ACE CAPETY MATTING			Т	Т					_				11 44
	WORKPLACE SAFETY MATTING			H	$\vdash$			H					H	11-44
PRODUCT CATEGORIES	ELECTRICAL SAFETY MATTING													45-48
	ESD MATS & ACCESSORIES FLOOR LEVEL SAFETY ACCESSORIES	+	+											49-56 57-64
		+	+	┝			H			_	_	H	-	
	FLOOR TRIMS	+	+	$\vdash$	┢			H				H	$\vdash$	65-70 71-74
	FLOOR COVERINGS  OFFICE FURNITURE ACCESSORIES	+	+	$\vdash$	┢									
	ENTRANCE MATTING SYSTEMS	+	+	$\vdash$	┢							H		75-80 81-96
	ENTRANCE MATS	+	+	┝	┝	H	H				_	H	-	
	MATS FOR LEISURE	+	+	$\vdash$	$\vdash$	H		H				H	-	97-120 121-126
	RUBBER SHEETING		+	$\vdash$	$\vdash$									127-132
	MOVING EDGE SAFETY KNIVES			$\vdash$										133
	MOVING EDGE SAFETT KNIVES				_									100
	PRODUCT													
Р	PLAN.A <sup>TM</sup>													84-85
	PREMIER GRIP													86
	PREMIER STAR GRIPPER PLUS		Ť											86
	PREMIER FASTTRACK		T	Г	Г									87
	PREMIER TRACK													88
			÷						_					
	Q-BEEZ													89
	RAMPMAT													26,113
R	RINGMAT HONEYCOMB													98, 126
	RINGMAT OCTOMAT													112
	RUBBER CRUMB													131
	RUBBER INSERTION													130
	SENSO DIAL ESD													53
S	SENTINEL COMMERCIAL ENTRANCE MAT	$^{+}$	Τ		Г									106
	SITEPATH													43
	SPECKLED RUBBER MATTING													131
	SPECTRA CLEAN			T										118
	STABLEMAT				H									126
	SUPER CONTRACT FALL	Ť	T		T									117
	SUPERDRY	T	T		T									108
	SUPERDRY HEAVY TRAFFIC		T	T										109
	SUPER SCRAPER®													94
		Ť	÷											
	TEXTURED RUBBER ROLLS	+	+											129
	TOUGH-LOCK ESD	+	+											54
	TREADWELL	+	+					-						89
	TRIO BRUSH®	+	+	H	H		H	H			_			92
	TRIO SCRAPER®													93
U	UNIMAT													34
W	WATERCOOLER SPLASHMAT													32
	WEIGHTROOM MAT													123
	WORKSAFE													32
	WOVEN CONVEYOR MAT													107
	WRISTBANDS													56
						_	_					_		